

# LIGHTING CATALOGUE

EDITION 12

2022-2023



**POWERMASTER** *LUMiLiFe*

All stock available from our UK warehouse.

# CONTENTS PAGE

## LED WORKLIGHTS



|   |                                           |    |
|---|-------------------------------------------|----|
| 1 | LED Slimline Rechargeable Worklight - 10W | P6 |
| 2 | LED Slimline Rechargeable Worklight - 20W |    |
| 3 | LED 240V Portable Worklight - 20W         |    |
| 4 | LED 240V Single Tripod Worklight - 20W    | P7 |
| 5 | LED 240V Twin Tripod Worklight - 20W      |    |
| 6 | LED 110V Telescopic Worklight - 20W       | P8 |
| 7 | LED 110V Twin Telescopic Worklight - 20W  |    |

## LED HIGHBAYS



|    |                                              |     |
|----|----------------------------------------------|-----|
| 8  | LED Dimmable UFO Highbay - 150W              | P8  |
| 9  | LED Dimmable UFO Highbay - 200W              |     |
| 10 | LED UFO Highbay - IP65 Sensor                | P9  |
| 11 | LED UFO Highbay - Bracket                    |     |
| 12 | 60 Degree Reflector                          |     |
| 13 | 90 Degree Reflector                          | P10 |
| 14 | Essential Highbay - 5700k - 100W             |     |
| 15 | Essential Highbay - 5700k - 150W             |     |
| 16 | Essential Highbay - 5700k - 200W             |     |
| 17 | Adjustable Installation Bracket - Essentials |     |
| 18 | 70 Degree Clear Reflector - Prem & Ess       |     |
| 19 | 60 Degree Alluminium Reflector - Prem & Ess  |     |
| 20 | 90 Degree Alluminium Reflector - Prem & Ess  |     |
| 21 | Highbay Microwave Sensors                    |     |
| 22 | Merrytek Sensor Remote Control               |     |
| 23 | Sensor & Bracket                             | P11 |
| 24 | 170LM/W UFO Highbay 4000k 100W               |     |
| 25 | 170LM/W UFO Highbay 5700k 100W               |     |
| 26 | 170LM/W UFO Highbay 4000k 150W               |     |
| 27 | 170LM/W UFO Highbay 5700k 150W               |     |
| 28 | 170LM/W UFO Highbay 4000k 200W               |     |
| 29 | 170LM/W UFO Highbay 5700k 200W               |     |
| 30 | 170LM/W UFO HB Alum Ref 60 Deg 100W          |     |
| 31 | 170LM/W UFO HB Alum Ref 90 Deg 100W          |     |
| 32 | 170LM UFO HB Alum Ref 60 Deg 150W            |     |
| 33 | 170LM UFO HB Alum Ref 90 Deg 150W            | P12 |
| 34 | 170LM/W UFO HB Alum Ref 90 Deg 200W          |     |
| 35 | 170LM/W UFO HB PC Reflector 100W             |     |
| 36 | 170LM/W UFO HB PC Reflector 150W             |     |
| 37 | 170LM/W UFO HB PC Reflector 200W             |     |
| 38 | 170LM/W UFO Highbay Sensor                   |     |
| 39 | 170LM/W UFO Highbay Controller               |     |
| 40 | 170LM/W UFO Highbay Emergency Battery        |     |

## LED EMERGENCY



|    |                                              |     |
|----|----------------------------------------------|-----|
| 41 | 3Hr Emergency LED Twin spot IP65 - Self test | P13 |
|----|----------------------------------------------|-----|

## LED FLOODLIGHTS



|    |                  |     |
|----|------------------|-----|
| 42 | 70W Flood 3000K  | P13 |
| 43 | 100W Flood 5000K |     |
| 44 | 150W Flood 5000K |     |
| 45 | 200W Flood 5000K |     |

## LED CCT WALL PACK



|    |                   |     |
|----|-------------------|-----|
| 46 | 30W Wall Pack CCT | P13 |
|----|-------------------|-----|

## LED POLOS



|    |                                           |     |
|----|-------------------------------------------|-----|
| 47 | LED Polo CCT Fitting 15W - CCT            | P14 |
| 48 | LED Polo CCT Fitting 15W - Microwave      |     |
| 49 | LED Polo CCT Fitting 15W - Emergency      |     |
| 50 | LED Polo CCT Fitting 15W - Microwave & Em |     |
| 51 | LED Polo CCT Fitting 15W - CCT            |     |
| 52 | LED Polo CCT Fitting 15W - Microwave      |     |
| 53 | LED Polo CCT Fitting 15W - Emergency      |     |
| 54 | LED Polo CCT Fitting 15W - Microwave & Em |     |
| 55 | Polo CCT 15W - Microwave Corridor         |     |
| 56 | Polo CCT 15W - Micro Em Corridor          |     |

## LED GEARTRAYS



|     |                                         |     |
|-----|-----------------------------------------|-----|
| 57  | 8W LED Gear Tray CCT                    | P15 |
| 58  | 8W LED Emer Gear Tray CCT               |     |
| 59  | 15W LED Gear Tray - CCT                 |     |
| 60  | 15W LED Micro Gear Tray CCT             |     |
| 61  | 15W LED Emer Gear Tray CCT              |     |
| 62  | 15W LED Emer & Micro Gear Tray CCT      |     |
| 63  | 15W LED Emer, Micro & Dim Gear Tray CCT |     |
| 64A | 8W Bulkhead Body                        |     |
| 65B | 8W Tamper Proof Bulkhead Body           |     |
| 65A | 15W Bulkhead Body                       |     |
| 65B | 15W Tamper Proof Bulkhead Body          |     |

## LED PANELS



|    |                                       |     |
|----|---------------------------------------|-----|
| 66 | LED 3D Cloud Sky Panel - 40W          | P16 |
| 67 | LED 600x600 Backlit Panel TPa - 4000K |     |
| 68 | LED 600x600 Backlit Panel TPa - 5000K |     |
| 69 | LED 600x600 Backlit Panel TPa - 6000K |     |
| 70 | 600x600 Sidelit Panel - 4000K 40W     |     |
| 71 | 600x600 Sidelit Panel - 5000K 40W     |     |
| 72 | 300x1200 Sidelit Panel - 4000K 40W    |     |
| 73 | 600x1200 Sidelit Panel - 4000K 60W    |     |
| 74 | 600x1200 Sidelit Panel - 5000K 60W    | P17 |
| 75 | LED 600x600 Sidelit Panel Frame       |     |
| 76 | LED 600x1200 Sidelit Panel Frame      |     |
| 77 | LED 300x600 Sidelit Panel Frame       |     |
| 78 | LED 300x1200 Sidelit Panel Frame      |     |
| 79 | LED 600x600 Backlit Panel Frame       |     |

# CONTENTS PAGE

## LED PANELS



|    |                                          |     |
|----|------------------------------------------|-----|
| 80 | LED Panel - Suspension Kit               | P17 |
| 81 | Panel Emergency kit                      |     |
| 82 | Universal Panel Emergency Kit            |     |
| 83 | B1 Emergency Pack for Downlights ≥ 15W   |     |
| 84 | 230V Emergency Pack for Downlights ≤ 15W |     |

## LED DRIVERS



|    |                         |     |
|----|-------------------------|-----|
| 85 | Non Dimmable Driver 40W | P18 |
| 86 | Non Dimmable Driver 60W |     |
| 87 | Triac Driver 45W        |     |
| 88 | Dali Driver 42W         |     |

## CIRCULAR PANELS



|     |                                 |     |
|-----|---------------------------------|-----|
| 89  | Circular Panel Recessed CCT 6W  | P19 |
| 90  | Circular Panel Recessed CCT 12W |     |
| 91  | Circular Panel Recessed CCT 18W |     |
| 92  | Circular Panel Recessed CCT 24W |     |
| 93  | Circular Panel Surface CCT 6W   |     |
| 94  | Circular Panel Surface CCT 12W  |     |
| 95  | Circular Panel Surface CCT 18W  |     |
| 96  | Circular Panel Surface CCT 24W  |     |
| 97  | Circular Panel Recessed CCT 6W  |     |
| 98  | Circular Panel Recessed CCT 12W |     |
| 99  | Circular Panel Recessed CCT 18W | P20 |
| 100 | Circular Panel Recessed CCT 24W |     |
| 101 | 18W Adjustable CCT Panel        |     |

## LED DOWNLIGHTS



|     |                                           |     |
|-----|-------------------------------------------|-----|
| 102 | LED 10W Downlight - IP54 CCT              | P20 |
| 103 | LED 8W Downlight CCT                      |     |
| 104 | LED 18W Downlight CCT                     |     |
| 105 | LED 35W Downlight - Dimmable - IP54 4000K | P21 |
| 106 | LED 35W Downlight - Dimmable - IP54 5700K |     |

## LED BATTENS IP20



|     |                                               |    |
|-----|-----------------------------------------------|----|
| 107 | LED 2ft IP20 Screwless Batten - 10W Single    | P2 |
| 108 | LED 4ft IP20 Screwless Batten - 20W Single    |    |
| 109 | LED 5ft IP20 Screwless Batten - 30W Single    |    |
| 110 | LED 6ft IP20 Screwless Batten - 40W Single    |    |
| 111 | LED 2ft IP20 Screwless Batten - 20W Twin      |    |
| 112 | LED 4ft IP20 Screwless Batten - 40W Twin      |    |
| 113 | LED 5ft IP20 Screwless Batten - 60W Twin      |    |
| 114 | LED 6ft IP20 Screwless Batten - 65W Twin      |    |
| 115 | LED 4ft IP20 Screwless Batten - 20W Single Em |    |
| 116 | LED 5ft IP20 Screwless Batten - 30W Single Em |    |
| 117 | LED 6ft IP20 Screwless Batten - 40W Single Em |    |
| 118 | LED 4ft IP20 Screwless Batten - 40W Twin Em   |    |
| 119 | LED 5ft IP20 Screwless Batten - 60W Twin Em   |    |
| 120 | LED 6ft IP20 Screwless Batten - 65W Twin Em   |    |
| 121 | LED 5ft IP20 Batten Single CCT - 30W          |    |
| 122 | LED 5ft IP20 Sensor Batten Single - 30W       |    |

## LED READY T8 BATTENS



|     |                                           |     |
|-----|-------------------------------------------|-----|
| 123 | LED IP20 Batten 2ft 60cm - 18W            | P23 |
| 124 | LED IP20 Batten 4ft 120cm - 36W           |     |
| 125 | LED IP20 Batten 5ft 150cm - 45W           |     |
| 126 | LED IP20 Batten 6ft 180cm - 60W           |     |
| 127 | LED Compatible 2ft / 60cm T8 - Single     |     |
| 128 | LED Compatible 4ft / 120cm T8 - Single    |     |
| 129 | LED Compatible 5ft / 150cm T8 - Single    |     |
| 130 | LED Compatible 6ft / 180cm T8 - Single    |     |
| 131 | LED Compatible 4ft / 120cm T8 - Twin      |     |
| 132 | LED Compatible 5ft / 150cm T8 - Twin      |     |
| 133 | LED Compatible 6ft / 180cm T8 - Twin      | P24 |
| 134 | LED Compatible 4ft / 120cm T8 IP65 Single |     |
| 135 | LED Compatible 5ft / 150cm T8 IP65 Single |     |
| 136 | LED Compatible 6ft / 180cm T8 IP65 Single |     |
| 137 | LED Compatible 4ft / 120cm T8 IP65 Twin   |     |
| 138 | LED Compatible 5ft / 150cm T8 IP65 Twin   |     |
| 139 | LED Compatible 6ft / 180cm T8 IP65 Twin   |     |

## LED UTILITY



|     |                             |     |
|-----|-----------------------------|-----|
| 140 | LED CC 2m Flexi Strip - 15W | P25 |
| 141 | LED Shaver Light - 5W       |     |

## LED SECURITY



|     |                                       |     |
|-----|---------------------------------------|-----|
| 142 | LED PIR Twin Black Spotlight - 2 x 6W | P26 |
| 143 | LED Adjustable PMO PIR Bulkhead - 10W |     |
| 144 | LED Photocell Bulkhead - 10W          |     |
| 145 | LED Polycarbonate Bulkhead - 10W      | P27 |

## LED OUTDOOR & GARDEN



|     |                                            |     |
|-----|--------------------------------------------|-----|
| 146 | LED 20 White Globe Festoon String - 3W     | P27 |
| 147 | LED 20 Colour Globe Festoon String - 3W    |     |
| 148 | LED 10 Light Linkable Festoon String - 16W |     |

### Key:

Lumilife Products:



Powermaster Products:



Information Page:



# CONTENTS PAGE

## LED FIRE RATED



|     |                                             |     |
|-----|---------------------------------------------|-----|
| 149 | LED IP65 Fire Rated 3000k Downlight - White | P28 |
| 150 | LED IP65 Fire Rated 4000k Downlight - White |     |
| 151 | Clip on Bezel - Chrome                      |     |
| 152 | Clip on Bezel - Brushed                     |     |

## FIRE RATED



|     |                                           |     |
|-----|-------------------------------------------|-----|
| 153 | Fire Rated Fixed - White                  | P29 |
| 154 | Fire Rated Fixed - Chrome                 |     |
| 155 | Fire Rated Fixed - Brushed                |     |
| 156 | Fire Rated Fixed - White - Twist & Lock   |     |
| 157 | Fire Rated Fixed - Chrome - Twist & Lock  |     |
| 158 | Fire Rated Fixed - Brushed - Twist & Lock |     |
| 159 | Fire Rated Spring Clip Tilt - White       |     |
| 160 | Fire Rated Spring Clip Tilt - Chrome      |     |
| 161 | Fire Rated Spring Clip Tilt - Brushed     |     |

## IP & FIRE RATED



|     |                                      |     |
|-----|--------------------------------------|-----|
| 162 | IP65 & Fire Rated - Fixed - White    | P30 |
| 163 | IP65 & Fire Rated - Fixed - Chrome   |     |
| 164 | IP65 & Fire Rated - Fixed - Brushed  |     |
| 165 | IP65 Slimline Downlight - White      |     |
| 166 | IP65 Slimline Downlight - Chrome     |     |
| 167 | IP65 Slimline Downlight - Brushed    |     |
| 168 | IP44 Triple Head Bathroom Spotlight  | P31 |
| 169 | Fire Rated T&L Fixed DL - Brushed    |     |
| 170 | Fire Rated T&L Fixed DL - Chrome     |     |
| 171 | Fire Rated T&L Fixed DL - White      |     |
| 172 | Fire Rated Tilt DL - Brushed         |     |
| 173 | Fire Rated Tilt DL - Chrome          |     |
| 174 | Fire Rated Tilt DL - White           |     |
| 175 | IP65 & Fire Rated Fixed DL - Brushed |     |
| 176 | IP65 & Fire Rated Fixed DL - Chrome  |     |
| 177 | IP65 & Fire Rated Fixed DL - White   |     |

## 1P65 NON CORROSIVE T8 BATTENS



|     |                        |     |
|-----|------------------------|-----|
| 178 | 4ft 36w T8 IP65 Single | P32 |
| 179 | 5ft 58w T8 IP65 Single |     |
| 180 | 4ft 36w T8 IP65 Twin   |     |
| 181 | 5ft 58w T8 IP65 Twin   |     |

## T8 IP20 BATTENS



|     |                           |     |
|-----|---------------------------|-----|
| 182 | 2ft / 60cm 18w T8 Single  | P34 |
| 183 | 4ft / 120cm 36w T8 Single |     |
| 184 | 5ft / 150cm 58w T8 Single |     |
| 185 | 6ft / 180cm 70w T8 Single |     |
| 186 | 4ft / 120cm 36w T8 Twin   |     |
| 187 | 5ft / 150cm 58w T8 Twin   |     |
| 188 | 6ft / 180cm 70w T8 Twin   |     |

## SPOTLIGHTS



|     |                              |     |
|-----|------------------------------|-----|
| 189 | Single Spot Chrome           | P35 |
| 190 | Single Spot Brushed          |     |
| 191 | Twin Bar Spot Chrome         |     |
| 192 | Twin Bar Spot Brushed        |     |
| 193 | Triple Bar Spot Chrome       |     |
| 194 | Triple Bar Spot Brushed      | P36 |
| 195 | Four Bar Folding Chrome      |     |
| 196 | Four Bar Folding Brushed     |     |
| 197 | Triple Plate Brushed         |     |
| 198 | Triple Spiral Spot - Brushed |     |

## RECESSED DOWNLIGHTS



|     |                             |     |
|-----|-----------------------------|-----|
| 199 | White Fixed Downlight Kit   | P37 |
| 200 | Chrome Fixed Downlight Kit  |     |
| 201 | Brushed Fixed Downlight Kit |     |
| 202 | Chrome Tilt Downlight Kit   |     |
| 203 | Brushed Tilt Downlight Kit  |     |

## DESK LAMPS



|     |                   |     |
|-----|-------------------|-----|
| 204 | Desk Lamp - Black | P37 |
| 205 | Desk Lamp - White |     |

## CONTENTS PAGE

### FLOODS & SENSORS



|     |                                    |     |
|-----|------------------------------------|-----|
| 206 | Black Eco Floodlight - 500W        | P38 |
| 207 | Black Eco PIR Floodlight - 500W    |     |
| 208 | White PIR Floodlight - 500W        |     |
| 209 | Black PIR Floodlight - 150W Max    |     |
| 210 | White PIR Floodlight - 150W Max    |     |
| 211 | Black PIR 180° Small Motion Sensor |     |
| 212 | Black PIR 180° Large Motion Sensor |     |

### BULKHEADS



|     |                                |     |
|-----|--------------------------------|-----|
| 213 | Black Oval Bulkhead            | P39 |
| 214 | White Oval Bulkhead            |     |
| 215 | Black Round Bulkhead           |     |
| 216 | Black Polycarb Bulkhead - 100W |     |

### OUTDOOR LANTERNS



|     |                                         |     |
|-----|-----------------------------------------|-----|
| 217 | Black 6 Sided Lantern                   | P40 |
| 218 | White 6 Sided Lantern                   |     |
| 219 | Black 6 Sided 2-in -1 Lantern - Plastic |     |
| 220 | Black 4 Sided Lantern                   |     |
| 221 | White 4 Sided Lantern                   | P41 |
| 222 | Black/Silver 4 Sided Leaded Lantern     |     |
| 223 | Black 3 Sided Half Wall Lantern         |     |
| 224 | White 3 Sided Half Wall Lantern         |     |
| 225 | Charcoal 8 Sided Pavilion Lantern       | P42 |
| 226 | SS Tube Wall Lantern                    |     |
| 227 | SS Twin Wall Spotlight                  | P43 |
| 228 | SS PIR Twin Wall Spotlight              |     |
| 229 | Black PIR 6 Sided Lantern               |     |
| 230 | White PIR 6 Sided Lantern               |     |
| 231 | Black PIR 4 Sided Lantern               |     |
| 232 | White PIR 4 Sided Lantern               |     |

### OTHER INFORMATION



|     |                         |     |
|-----|-------------------------|-----|
| 233 | Product Information     | P44 |
| 234 | Icons                   | P48 |
| 235 | IP Classifications      | P49 |
| 236 | IK Classifications      |     |
| 237 | Fire Rated Requirements |     |
| 238 | Kelvin Classifications  |     |

#### Key:

Lumilife Products:



Powermaster Products:



Information Page:



1

## LED Rechargeable Worklight - 10W

POWERMASTER


- 10W SMD LED
- Daylight - 6,000K
- IP54
- 3-Pin Plug Mains Charger
- 12V Car Charger
- Over-Charge Protection
- Up to 3 Hours Operating Time  
From a Full 4 Hour Charge



1

S11566

LED Slimline Rechargeable Worklight - 10W



2

## LED Rechargeable Worklight - 20W

POWERMASTER

- 20W SMD LED
- Daylight - 6,000K
- IP54
- 3-Pin Plug Mains Charger
- 12V Car Charger
- Over-Charge Protection
- Up to 3 Hours Operating Time  
From a Full 4 Hour Charge



2

S11567

LED Slimline Rechargeable Worklight - 20W



3

## LED 240V Portable Worklight - 20W

POWERMASTER

- 20W SMD LED
- 1,600 Lumens
- IP65
- Daylight - 6,500K
- Slimline Design
- Cable Length 180cm
- 220-240V
- Fitted 3-Pin Plug



3

S12120

LED 240v Portable Worklight - 20W



4

## LED 240V Telescopic Worklight - 20W

POWERMASTER

- 20W SMD LED
- 1,600 Lumens
- Daylight - 6,500K
- IP65
- Slimline Design
- Cable Length 300cm
- 220-240V
- Fitted 3-Pin Plug



Black &amp; Yellow



SMD - DL



Product Life



IP Rated

4

S12121

LED 240v Single Tripod Worklight - 20W

5

## LED 240V Twin Telescopic Worklight - 2 X 20W

POWERMASTER

- 2 x 20W SMD LED
- 2 x 1,600 Lumens
- Daylight - 6,500K
- IP65
- Slimline Design
- Cable Length 300cm
- 220-240V
- Fitted 3-Pin Plug



Black &amp; Yellow



SMD - DL



Product Life



IP Rated

5

S12122

LED 240v Twin Tripod Worklight - 2 x 20W

6

## LED 110V Telescopic Worklight - 20W

POWERMASTER

- 20W SMD LED
- 1,600 Lumens
- Daylight - 6,500K
- IP65
- Slimline Design
- Cable Length 300cm
- 110V
- 110V Plug
- Cable length – 300cm\*



6

S13420

LED 110v Telescopic Worklight - 20W

\* Approximate measurement

7

## LED 110V Twin Telescopic Worklight - 20W

POWERMASTER

- 2x20W SMD LED
- 2 x 1,600 Lumens
- Daylight - 6,500K
- IP65
- Slimline Design
- Cable Length 300cm
- 110V
- 110V Plug
- Cable length – 300cm\*



7

S13421

LED 110v Twin Telescopic Worklight - 20W

\* Approximate measurement

8-9

## LED Powermaster LED Dimmable UFO High Bay - 150W/200W

POWERMASTER

- IP65
- Lumens per Watt: 130
- Beam Angle: 120°
- Colour Temperature: 5700K
- Wide Input Voltage: 100-277V
- Power Factor: 0.93
- Working Temp: -30°C to 50°C
- CRI - RA80
- 50,000 Hours
- Dimmable
- Flicker Free
- Aluminium Heat Sync
- Samsung SMD LED Chips
- Lifud Driver
- Built in Potentiometer to control Power and Lumens



8

S15451

LED Dimmable UFO High Bay - 150W

9

S15452

LED Dimmable UFO High Bay - 200W





S15456



S16355



S15455

|    |               |                           |
|----|---------------|---------------------------|
| 10 | <b>S15455</b> | UFO Highbay - IP65 Sensor |
| 11 | <b>S15456</b> | UFO Highbay - Bracket     |
| 12 | <b>S16355</b> | 60 Degree Reflector       |
| 13 | <b>S16356</b> | 90 Degree Reflector       |

**14-16****Essential UFO Highbay - 130 LM/W**

LUMILiFe

- IP65
- Lumens per Watt: 130LM/W
- Beam Angle: 120°
- Colour Temperature: 5700k
- Built in Potentiometer to control Power and Lumens
- Dimmable
- Operating Temp: -30°C to 50°C



|    |               |                           |
|----|---------------|---------------------------|
| 14 | <b>S16281</b> | Essentials - 5700k - 100W |
| 15 | <b>S16282</b> | Essentials - 5700k - 150W |
| 16 | <b>S16283</b> | Essentials - 5700k - 200W |

**17****Adjustable Installation Bracket - Essentials**

LUMILiFe

- Black finish
- Compatible With LED High Bay
- Adjustable Bracket
- Flange Mount Bracket
- (H) 125mm x (L) 245mm x (D) 80mm\*



|    |               |                                              |
|----|---------------|----------------------------------------------|
| 17 | <b>S16203</b> | Adjustable Installation Bracket - Essentials |
|----|---------------|----------------------------------------------|

\* Approximate measurement

**18-20****Essential Highbay Reflectors**

LUMILiFe

- Aluminium/ Lightweight Polycarbonate finish
- Compatible With LUMiLiFe Only
- Beam Angle - 60° / 70° / 90°



|    |               |                                             |
|----|---------------|---------------------------------------------|
| 18 | <b>S15649</b> | 70 Degree Clear Reflector - Prem & Ess      |
| 19 | <b>S15647</b> | 60 Degree Alluminium Reflector - Prem & Ess |
| 20 | <b>S15648</b> | 90 Degree Alluminium Reflector - Prem & Ess |



## 21-23

## Highbay Microwave Sensors

LUMILIFE

- Merrytek Highbay Microwave Sensor:  
Compatible With LED High Bay  
Junction Box Included  
Adjustable Daylight Sensor  
(H) 59mm x (W) 180mm x (D) 12mm\*
- Merrytek Sensor Remote Control:  
(H) 15mm x (W) 55mm x (D) 115mm\*  
Motion Detection - 16m
- LL Sensor & Bracket:  
Bracket Included  
Motion Detection  
Built-In Daylight Sensor  
(H) 52mm x (W) 101mm x (D) 25.5mm\*



S15657



S15679



S15646

|    |               |                                          |
|----|---------------|------------------------------------------|
| 21 | <b>S15657</b> | Merrytek Highbay Micro & Daylight Sensor |
| 22 | <b>S15679</b> | Merrytek Sensor Remote Control           |
| 23 | <b>S15646</b> | Sensor & Bracket                         |

\* Approximate measurement



## 24-29

## UFO Highbay - 170 LM/W

LUMILIFE

- IP65
- Lumens per Watt: 170LM/W
- Beam Angle: 110
- Colour Temperature: 4000k & 5700k
- Operating Temperature : -40 to 40 (4000k & 5700k)



|    |               |                                |
|----|---------------|--------------------------------|
| 24 | <b>S18757</b> | 170LM/W UFO Highbay 4000k 100W |
| 25 | <b>S18760</b> | 170LM/W UFO Highbay 5700k 100W |
| 26 | <b>S18758</b> | 170LM/W UFO Highbay 4000k 150W |
| 27 | <b>S18761</b> | 170LM/W UFO Highbay 5700k 150W |
| 28 | <b>S18759</b> | 170LM/W UFO Highbay 4000k 200W |
| 29 | <b>S18762</b> | 170LM/W UFO Highbay 5700k 200W |



## 30-34

## 170 LM/W Highbay Range - Aluminium Reflectors

LUMILIFE

- Aluminium Polycarbonate finish
- Compatible With UFO Highbays 170LM/W
- Beam Angle - 60° / 90°



|    |               |                                     |
|----|---------------|-------------------------------------|
| 30 | <b>S18768</b> | 170LM/W UFO HB Alum Ref 60 Deg 100W |
| 31 | <b>S18765</b> | 170LM/W UFO HB Alum Ref 90 Deg 100W |
| 32 | <b>S18769</b> | 170LM UFO HB Alum Ref 60 Deg 150W   |
| 33 | <b>S18766</b> | 170LM UFO HB Alum Ref 90 Deg 150W   |
| 34 | <b>S18767</b> | 170LM/W UFO HB Alum Ref 90 Deg 200W |

35-37

## 170LM/W Highbay Range - PC Reflectors

LUMILIFE

- Easy to fit
- Lightweight polycarbonate
- Beam Angle: 70°



|    |        |                                  |
|----|--------|----------------------------------|
| 35 | S18770 | 170LM/W UFO HB PC Reflector 100W |
| 36 | S18771 | 170LM/W UFO HB PC Reflector 150W |
| 37 | S18772 | 170LM/W UFO HB PC Reflector 200W |

38-39

## UFO Highbay Sensor - 170LM/W

LUMILIFE

- Remote Control Functionality
- Angle - 360°
- Installation height – 6-8m\*
- Working Temp - -30 to 80°C
- Detection Range – 25, 50, 75 & 100%
- Hold Time - 10 Sec – 30 Min
- Daylight Sensor - Off, 10, 30 & 100 Lux
- Anti-interference
- Wide coverage
- Signal programmable



|    |        |                                |
|----|--------|--------------------------------|
| 38 | S18763 | 170LM/W UFO Highbay Sensor     |
| 39 | S18764 | 170LM/W UFO Highbay Controller |

\* Approximate measurement



40

## 170LM UFO Highbay Emergency Battery

LUMILIFE


- Simple wiring
- Wireless remote control for emergency test
- Charging time: 24Hours
- Emergency Time: 180 Minutes
- 50/60Hz



|    |        |                                     |
|----|--------|-------------------------------------|
| 40 | S18773 | 170LM UFO Highbay Emergency Battery |
|----|--------|-------------------------------------|



- IP65 self-contained emergency twinspace
- IK10 impact rating
- Low stand-by power consumption < 0.5W
- Self-test version available
- Li-on battery with 5-year warranty
- Non-maintained 350lm in emergency mode
- Suitable for indoor or outdoor applications
- Remote control optional



41 S16030 LED 2 X 3W Twin-Spot IP65 Non-Maintained

## 42-45

## Commercial Floodlights

- Lumens per Watt: 120
- CRI > 80
- 110 Degree Beam Angle
- IP65
- PF = 0.9
- Die-Cast Aluminium Body
- Glass Diffuser
- Lead Cable: 50cm
- 50,000 Hour Lifespan




|    |        |                  |
|----|--------|------------------|
| 42 | S18406 | 70W Flood 3000k  |
| 43 | S18411 | 100W Flood 5000k |
| 44 | S18412 | 150W Flood 5000k |
| 45 | S18413 | 200W Flood 5000k |

## 46

## CCT Wall Pack - 30W

- Wattage - 30W
- Lumens - Up to 2,700 Lumens
- Lumens Per Watt - 90
- CCT - 3000K/4000K/6000K
- Power - 220-240V AC
- CRI >80
- Working Temp - -20°C ~ 40°C
- Quick Fit Push Terminal
- Dimensions (mm):  
264mm x 309mm x 117mm\*




46 S18530 30W Wall Pack CCT

\* Approximate measurement

- ABS Base
- Polycarbonate Diffuser
- Indoor or Outdoor Use
- CCT: 3000K, 4000K, 6000K
- 120°V Beam Angle
- Lumens: 1320LM, 1440LM, 1380LM
- IP65
- 220-240V




|    |               |                                           |
|----|---------------|-------------------------------------------|
| 47 | <b>S8991</b>  | LED Polo CCT Fitting 15W - CCT            |
| 48 | <b>S17474</b> | LED Polo CCT Fitting 15W - Microwave      |
| 49 | <b>S17475</b> | LED Polo CCT Fitting 15W - Emergency      |
| 50 | <b>S17476</b> | LED Polo CCT Fitting 15W - Microwave & Em |



- ABS Base
- Polycarbonate Diffuser
- Indoor or Outdoor Use
- CCT: 3000K, 4000K, 6000K
- 120° Beam Angle
- Lumens: 1320LM, 1440LM, 1380LM
- IP65
- 220-240V



|    |               |                                           |
|----|---------------|-------------------------------------------|
| 51 | <b>S18432</b> | LED Polo CCT Fitting 15W - CCT            |
| 52 | <b>S18433</b> | LED Polo CCT Fitting 15W - Microwave      |
| 53 | <b>S18434</b> | LED Polo CCT Fitting 15W - Emergency      |
| 54 | <b>S18435</b> | LED Polo CCT Fitting 15W - Microwave & Em |
| 55 | <b>S18436</b> | Polo CCT 15W - Microwave Corridor         |
| 56 | <b>S18437</b> | Polo CCT 15W - Micro Em Corridor          |



- Working Temp: -20° to + 40°C
- Lumens Per Watt:
  - 8W:115-144\*
  - 15W:106-115\*
- Lumens:
  - 8W: 1200lm, 1300lm, 1250lm
  - 15W: 1600lm, 1725lm, 1630lm
- CCT: 3000k, 4000k, 6000k
- Isolated driver
- Flicker Free
- CRI : >80
- PF : >0.5
- 220-240V AC
- 50Hz
- Beam Angle: 120°
- Terminal: Quick Fit
- Push Terminal – 3-Way
- Aluminium PCB Board
- Available Function with;
  - Microwave Sensor Features
  - Emergency Features
  - Emergency Lumens: 150~200 (10%)\*
  - Battery: Lithium Battery (SPEC) Emergency
  - Period: 3 Hours
- Tray Dimesions:
  - 8W: Ø 180mm x 30mm\*
  - 15W:Ø 243mm x 30mm\*



|    |               |                                         |
|----|---------------|-----------------------------------------|
| 57 | <b>S17320</b> | 8W LED Gear Tray CCT                    |
| 58 | <b>S17321</b> | 8W LED Emer Gear Tray CCT               |
| 59 | <b>S17314</b> | 15W LED Gear Tray - CCT                 |
| 60 | <b>S17316</b> | 15W LED Micro Gear Tray CCT             |
| 61 | <b>S17315</b> | 15W LED Emer Gear Tray CCT              |
| 62 | <b>S17317</b> | 15W LED Emer & Micro Gear Tray CCT      |
| 63 | <b>S17318</b> | 15W LED Emer, Micro & Dim Gear Tray CCT |

\* Approximate measurement

- ABS Base
- Polycarbonate Diffuser
- IP65
- 220-240V



|     |               |                                |
|-----|---------------|--------------------------------|
| 64A | <b>S17322</b> | 8W Bulkhead Body               |
| 64B | <b>S18865</b> | 8W Tamper Proof Bulkhead Body  |
| 65A | <b>S17319</b> | 15W Bulkhead Body              |
| 65B | <b>S18866</b> | 15W Tamper Proof Bulkhead Body |



66

## LED 3D Cloud Sky Panel - 40W

POWERMASTER

- 600 x 600 (595 x 595 Internal)
- Thickness 12mm\*
- White Trim
- 40W
- 1500 Lumens
- CRI>80
- IP20
- Flicker Free
- Remote Driver
- Daylight - 6,000K
- 220~240V / 50~60Hz
- Non-Dimmable
- Power Factor - 0.9
- Beam Angle - 120°



|    |        |                              |
|----|--------|------------------------------|
| 66 | S14971 | LED 3D Cloud Sky Panel - 40W |
|----|--------|------------------------------|

\* Approximate measurement

67-69

## LED 600x600 TPa Backlit Panels - 36W

LUMILIFE

- TP(a) Flame Rated
- Low glare UGR<19
- 50,000 Hours Life Expectancy
- Non-Flicker LED Driver with Quick Connector
- White (RAL 9016) Aluminium Frame
- 3 Year Warranty

|    |        |                                       |
|----|--------|---------------------------------------|
| 67 | S16731 | LED 600x600 Backlit Panel TPa - 4000k |
| 68 | S16732 | LED 600x600 Backlit Panel TPa - 5000k |
| 69 | S16733 | LED 600x600 Backlit Panel TPa - 6000k |



70-74

## LED Sidelit Panels

LUMILIFE

- Replaces T8 & T5 Fluorescent
- Up To 40,000 Hours Life Expectancy
- LiFud Driver (Non-Flicker)
- White (RAL 9016) Aluminium Frame
- LIA Laboratories - TP(b) Flame Rated Report

|    |        |                                    |
|----|--------|------------------------------------|
| 70 | S16359 | 600x600 Sidelit Panel - 4000k 40W  |
| 71 | S16285 | 600x600 Sidelit Panel - 5000k 40W  |
| 72 | S16288 | 300x1200 Sidelit Panel - 4000k 40W |
| 73 | S16286 | 600x1200 Sidelit Panel - 4000k 60W |
| 74 | S16287 | 600x1200 Sidelit Panel - 5000k 60W |



- White Powder Coated Finish
- Self-Assemble
- Easy Installation



|    |               |                                  |
|----|---------------|----------------------------------|
| 75 | <b>S15658</b> | LED 600x600 Sidelit Panel Frame  |
| 76 | <b>S15659</b> | LED 600x1200 Sidelit Panel Frame |
| 77 | <b>S15660</b> | LED 300x600 Sidelit Panel Frame  |
| 78 | <b>S15661</b> | LED 300x1200 Sidelit Panel Frame |
| 79 | <b>S18416</b> | LED 600x600 Backlit Panel Frame  |

- Compatible with 300x300, 600x600, 300x600 LED Panels
- Adjustable Length
- Stainless Steel



|    |               |                            |
|----|---------------|----------------------------|
| 80 | <b>S15671</b> | LED Panel - Suspension Kit |
|----|---------------|----------------------------|

- 3 Hours Emergency support
- Easy Installation
- Re-chargeable Battery
- For use with LED Lighting
- S18428 plug and play attachment for use with LED Panels



S15595



S18428

|    |               |                                               |
|----|---------------|-----------------------------------------------|
| 81 | <b>S18428</b> | Panel Emergency kit                           |
| 82 | <b>S15595</b> | Universal Panel Emergency Kit                 |
| 83 | <b>S15608</b> | B1 Emergency Pack for Downlights $\geq 15W$   |
| 84 | <b>S15609</b> | 230V Emergency Pack for Downlights $\leq 15W$ |



## 85-86

## Non Dimmable Drivers

LUMILIFE

- Power Factor: >0.95
- Average Life: 30,000hr
- Min. and Max. Ambient Temp: -20°C to +45°C
- Isolated Circuit
- Not Dimmable
- Flicker-Free
- Suitable for Luminaire: Class II
- IP Rating: IP20



S17438



S17439

|    |        |                         |
|----|--------|-------------------------|
| 85 | S17438 | Non Dimmable Driver 40W |
| 86 | S17439 | Non Dimmable Driver 60W |



## 87-88

## Triac/Dali Drivers

LUMILIFE

- Power Factor: >0.95
- Isolated Circuit
- Dimmable DALI & Triac
- Dimming Range: 1% - 100%
- Flicker-Free
- Suitable for Luminaire: Class I and Class II
- IP Rating: IP20




S17441




S17440

|    |        |                  |
|----|--------|------------------|
| 87 | S17440 | Triac Driver 45W |
| 88 | S17441 | Dali Driver 42W  |




- Wattages: 6W/12W/18W/24W
- Power Factor - >0.5 - >0.9
- Lumens Per Watt: 70LMW
- Kelvin: Adjustable (3000K, 4000K, 6000K)
- Beam Angle - 120°
- 110-240V AC
- CRI - >80
- Class II




|    |               |                                 |
|----|---------------|---------------------------------|
| 89 | <b>S17430</b> | Circular Panel Recessed CCT 6W  |
| 90 | <b>S17431</b> | Circular Panel Recessed CCT 12W |
| 91 | <b>S17432</b> | Circular Panel Recessed CCT 18W |
| 92 | <b>S17433</b> | Circular Panel Recessed CCT 24W |

- Wattages: 6W/12W/18W/24W
- Power Factor - >0.5 - >0.9
- Lumens Per Watt: 70LMW
- Kelvin: Adjustable (3000K, 4000K, 6000K)
- Beam Angle - 120°
- 110-240V AC
- CRI - >80
- Class II



|    |               |                                |
|----|---------------|--------------------------------|
| 93 | <b>S17434</b> | Circular Panel Surface CCT 6W  |
| 94 | <b>S17435</b> | Circular Panel Surface CCT 12W |
| 95 | <b>S17436</b> | Circular Panel Surface CCT 18W |
| 96 | <b>S17437</b> | Circular Panel Surface CCT 24W |

- Wattages: 6W/12W/18W/24W
- Power Factor - >0.5 - >0.9
- Lumens Per Watt: 70LMW
- Kelvin: Adjustable (3000K, 4000K, 6000K)
- Beam Angle - 120°
- 110-240V AC
- CRI - >80
- Class II




|     |               |                                 |
|-----|---------------|---------------------------------|
| 97  | <b>S18478</b> | Circular Panel Recessed CCT 6W  |
| 98  | <b>S18479</b> | Circular Panel Recessed CCT 12W |
| 99  | <b>S18480</b> | Circular Panel Recessed CCT 18W |
| 100 | <b>S17433</b> | Circular Panel Recessed CCT 24W |

101

## Adjustable CCT Panel - 18W

LUMILIFE

- Dual Mounting options; Recess Mounted & Surface Mounded
- 18W
- 90 Lumens Per Watt
- 1620 Lumens
- IP20
- Flicker Free
- CRI : >80
- UGR: <22
- 100 - 240V AC
- Working Temp: -20° to + 40°C
- 55mm to 210mm cut out
- Quick Fix Installation
- Push Fit Terminals
- CCT Adjustable 3000k, 4000k or 6000k
- 3 year Guarantee



101

S18569


18W Adjustable CCT Panel

102

## LED Downlight CCT - IP54 - 10W

LUMILIFE

- White Bezel
- Dimmable
- Narrow Beam Angle - 90°
- Up To 40,000 Hours Life Expectancy
- IP54 Rated
- 90-95mm Cut-Out Size Required\*



102

S16307

LED 10W Downlight - IP54 CCT

\* Approximate measurement

103-104

## LED Downlights CCT - IP54

LUMILIFE

- PC Diffuser
- 800 Lumen
- Replaces 18W-52W Halogen
- Narrow Beam Angle - 90°
- IP54 Rated
- Loop In & Loop Out - Easy Connection
- 90-100mm Cut-Out Size Required\*



103

S16228

LED 8W Downlight CCT

104

S16234

LED 18W Downlight CCT



\* Approximate measurement

- Dimmable
- 2630 Lumen
- TRIAC Driver
- Narrow Beam Angle - 90°
- Up To 25,000 Hours Life Expectancy
- IP54 Rated -160mm Cut-Out Size Required\*



|     |               |                                           |
|-----|---------------|-------------------------------------------|
| 105 | <b>S16199</b> | LED 35W Downlight - Dimmable - IP54 4000K |
| 106 | <b>S16193</b> | LED 35W Downlight - Dimmable - IP54 5700K |

\* Approximate measurement



White



Dimmable



Up to  
25,000  
hrs  
Product Life

## 107-114

## LED IP20 Screwless Hinged Battens - 20W-65W

POWERMASTER

- White Steel Housing
- Aluminium PCB Heatsink
- Screwless Hinged Bracket
- Quick Fit Push Terminals
- 130 Lumens per Watt
- Colour Temperature: 4000K
- Opal PC Diffuser
- IP20
- IK08
- Flicker Free

|     |        |                                            |
|-----|--------|--------------------------------------------|
| 107 | S18590 | LED 2ft IP20 Screwless Batten - 10W Single |
| 108 | S15400 | LED 4ft IP20 Screwless Batten - 20W Single |
| 109 | S15404 | LED 5ft IP20 Screwless Batten - 30W Single |
| 110 | S15408 | LED 6ft IP20 Screwless Batten - 40W Single |
| 111 | S18591 | LED 2ft IP20 Screwless Batten - 20W Twin   |
| 112 | S15401 | LED 4ft IP20 Screwless Batten - 40W Twin   |
| 113 | S15405 | LED 5ft IP20 Screwless Batten - 60W Twin   |
| 114 | S15409 | LED 6ft IP20 Screwless Batten - 65W Twin   |



## 115-120

## LED IP20 Screwless Hinged Battens - Emergency - 20W-65W

POWERMASTER

- White Steel Housing
- Aluminium PCB Heatsink
- Opal PC Diffuser
- 130 Lumens per Watt
- Colour Temperature: 4000K
- IP20
- IK08
- Flicker Free
- Screwless Hinged Bracket
- Quick Fit Push Terminals
- Emergency-1.5W-2W Power
- 3 Hour Duration

|     |        |                                               |
|-----|--------|-----------------------------------------------|
| 115 | S15402 | LED 4ft IP20 Screwless Batten - 20W Single Em |
| 116 | S15406 | LED 5ft IP20 Screwless Batten - 30W Single Em |
| 117 | S15410 | LED 6ft IP20 Screwless Batten - 40W Single Em |
| 118 | S15403 | LED 4ft IP20 Screwless Batten - 40W Twin Em   |
| 119 | S15407 | LED 5ft IP20 Screwless Batten - 60W Twin Em   |
| 120 | S15411 | LED 6ft IP20 Screwless Batten - 65W Twin Em   |




## 121-122

## LED IP20 Screwless Hinged Battens - CCT/Sensor - 30W

POWERMASTER

- White Steel Housing
- Aluminium PCB Heatsink
- Opal PC Diffuser
- 115-130 Lumens Per Watt
- Kelvin Adjustable (3000K, 4000K, 6000K)
- IP20
- IK08
- Flicker Free
- Screwless Hinged Bracket
- Quick Fit Push Terminals
- 3 Hour Duration

|     |        |                                         |
|-----|--------|-----------------------------------------|
| 121 | S18427 | LED 5ft IP20 Batten Single CCT - 30W    |
| 122 | S18568 | LED 5ft IP20 Sensor Batten Single - 30W |



**123-126****LED IP20 Slimline Batten - 18W-60W**

- IP20
- Built in LED's
- Aluminium Body & Trim
- Opal Plastic Lens
- 90 Lumens Per Watt
- 220-240V
- Power Factor 0.9
- CRI - RA80
- Cool White - 4,000K
- Slimline Design
- Retrofit & Easy to Install
- Extra long cable supplied (3/4 of the total fitting length)



|            |               |                                 |
|------------|---------------|---------------------------------|
| <b>123</b> | <b>S15075</b> | LED IP20 Batten 2ft 60cm - 18W  |
| <b>124</b> | <b>S15076</b> | LED IP20 Batten 4ft 120cm - 36W |
| <b>125</b> | <b>S15077</b> | LED IP20 Batten 5ft 150cm - 45W |
| <b>126</b> | <b>S15078</b> | LED IP20 Batten 6ft 180cm - 60W |

**127-130****LED Compatible Single Batten Fittings**

- Iron
- White
- Slimline
- T8 Lampholder
- 220-240V
- ONLY Suitable for LED Tubes
- Single End Connection
- LED Tube not Supplied

|            |              |                                        |
|------------|--------------|----------------------------------------|
| <b>127</b> | <b>S9485</b> | LED Compatible 2ft / 60cm T8 - Single  |
| <b>128</b> | <b>S8989</b> | LED Compatible 4ft / 120cm T8 - Single |
| <b>129</b> | <b>S8990</b> | LED Compatible 5ft / 150cm T8 - Single |
| <b>130</b> | <b>S9486</b> | LED Compatible 6ft / 180cm T8 - Single |

**131-133****LED Compatible Twin Batten Fittings**

- Iron
- White
- Slimline
- T8 Lampholder
- 220-240V
- ONLY Suitable for LED Tubes
- Single End Connection
- LED Tube not Supplied

|            |              |                                      |
|------------|--------------|--------------------------------------|
| <b>131</b> | <b>S9488</b> | LED Compatible 4ft / 120cm T8 - Twin |
| <b>132</b> | <b>S9489</b> | LED Compatible 5ft / 150cm T8 - Twin |
| <b>133</b> | <b>S9490</b> | LED Compatible 6ft / 180cm T8 - Twin |



**134-136****LED Compatible IP65 Single Tri-Proof Batten Fittings****POWERMASTER**

- ABS Base
- PS Diffuser (4ft,5ft)
- PC Diffuser (6ft)
- PC Clips
- T8 Lampholder
- 220-240V
- IP65
- Tri-Proof
- ONLY Suitable for LED Tubes
- Single End Connection
- LED Tube not Supplied



|            |              |                                           |
|------------|--------------|-------------------------------------------|
| <b>134</b> | <b>S9491</b> | LED Compatible 4ft / 120cm T8 IP65 Single |
| <b>135</b> | <b>S9493</b> | LED Compatible 5ft / 150cm T8 IP65 Single |
| <b>136</b> | <b>S9495</b> | LED Compatible 6ft / 180cm T8 IP65 Single |

**137-139****LED Compatible Twin IP65 Tri-Proof Batten Fittings****POWERMASTER**

- ABS Base
- PS Diffuser (4ft,5ft)
- PC Diffuser (6ft)
- PC Clips
- T8 Lampholder
- 220-240V
- IP65
- Tri-Proof
- ONLY Suitable for LED Tubes
- Single End Connection
- LED Tube not Supplied



|            |              |                                         |
|------------|--------------|-----------------------------------------|
| <b>137</b> | <b>S9492</b> | LED Compatible 4ft / 120cm T8 IP65 Twin |
| <b>138</b> | <b>S9494</b> | LED Compatible 5ft / 150cm T8 IP65 Twin |
| <b>139</b> | <b>S9496</b> | LED Compatible 6ft / 180cm T8 IP65 Twin |



140

## LED Colour Change Flexi Strips - 15W-36W

POWERMASTER

- Clear Lens
- 5050 SMD LED
- 120° Degree Beam Angle
- Colour Changing
- Plug In Driver / Transformer
- 2m Lead Cable
- Simple 'Plug & Play' Installation
- 3M™ Adhesive Strip Installation
- 1 Connector
- Non-linkable Once Cut
- Remote Control
- Controller Only Controls 1 Strip



140

S7135

LED CC 2m Flexi Strip - 15W



141

## LED Shaver Light - 5W

POWERMASTER

- White Base & Opal Diffuser
- Pull Cord Switch
- Slimline Design
- 5W SMD LED
- Cool White - 4,000K
- 220-240V



141

S11385

LED Shaver Light - 5W



142

## LED PIR Twin Black Spotlight - 2 x 6W

POWERMASTER

- Plastic Anti Corrosive
- Matt Black Finish
- 2 x 6W SMD LED
- Vertical / Horizontal Independent Head Movement
- 110-240V
- 30° to 80° (can adjust the light direction by rotating the head)
- Daylight - 6,500K
- 180° PIR
- Up to 10m Range
- Simple 'Easy Fix' Installation
- IP44



142

S8160

LED PIR Twin Black Spotlight - 2 x 6W



143

## LED Adjustable PMO PIR Bulkhead - 10W

POWERMASTER

- Polycarbonate
- Prismatic PC Lens
- 10W SMD LED
- Anti Corrosive
- Daylight - 6,000K
- 220-240V~50Hz
- Adjustable PIR
- PMO – Pulsed Manual Override (On/Off/Auto)
- PIR Angle: 110°
- PIR Range: up to 12m
- PIR Time On: up to 4 Minutes
- IP44



143

S9348

LED Adjustable PMO PIR Bulkhead - 10W



144

## LED Photocell Bulkhead - 10W

POWERMASTER

- Polycarbonate
- Prismatic PC Lens
- 10W SMD LED
- Anti Corrosive
- Daylight - 6,000K
- Dusk to Dawn
- 220-240V~50Hz
- Fixed Photocell
- IP44



144

S9349

LED Photocell Bulkhead - 10W



145

## LED Polycarbonate Bulkheads - 10W

POWERMASTER

- Polypropylene Base
- Polycarbonate Diffuser
- 10W SMD LED
- Daylight - 6,500K
- 220-240V
- IP65




|     |       |                                  |
|-----|-------|----------------------------------|
| 145 | S8250 | LED Polycarbonate Bulkhead - 10W |
|-----|-------|----------------------------------|

146-147

## LED 20 Globe Festoon Strings - 3W

POWERMASTER

- 3W Coloured or White LED's
- 20 x LED GLS Style Lamps Static LEDs
- Shatterproof Bulb Casing
- Lamp Diameter 50mm
- Hook on Each Lamp
- 5.0m Lead Wire
- 0.5m Between Lamps (9.5m)
- 14.5m Total Length
- 220-240V
- Linkable (4 Sets=80 Globe Lights)
- IP44



|     |       |                                        |
|-----|-------|----------------------------------------|
| 146 | S9399 | LED 20 White Globe Festoon String - 3W |
|-----|-------|----------------------------------------|

|     |       |                                         |
|-----|-------|-----------------------------------------|
| 147 | S8894 | LED 20 Colour Globe Festoon String - 3W |
|-----|-------|-----------------------------------------|

148

## LED 10 Light Linkable Festoon String - 16W

POWERMASTER

- 10 x 1.6W LED (20W Total)
- Replaceable Lamps (Supplied)
- Total Length: 9 Metre \*
- Lead Wire: 3 Metre \*
- Lamp Spacing: 0.65 Metre \*
- Cable Type: H05VV-F 2x0.75mm<sup>2</sup>
- Lampholders: ES/E27
- Hanging Head Design
- 220-240V
- LED Type: Filament Style
- Kelvin: Warm White 2700k
- Linkable: Up to 5 Sets
- Outdoor Use: IP44
- Lamp Life: 15,000 Hrs
- EN62471 Approved



|     |        |                                           |
|-----|--------|-------------------------------------------|
| 148 | S17286 | LED 10 Light Linkable Festoon String -16W |
|-----|--------|-------------------------------------------|

\* Approximate measurement

**149-150****LED Fire Rated & IP65 Dimmable Downlights - 5.5W****POWERMASTER**

- 5.5W
- 91 Lumen per Watt
- 500 Lumen
- Dimmable
- 60° Beam Angle
- Warm White or Cool White
- 220-240V
- IP65 Rated
- 30, 60 and 90 Minute Fire Rated
- White Bezel



|     |               |                                         |
|-----|---------------|-----------------------------------------|
| 149 | <b>S15343</b> | IP65 Fire Rated 3000k Downlight - White |
| 150 | <b>S15344</b> | IP65 Fire Rated 4000k Downlight - White |

**151-152****IP65 Fire Rated Clips on Bezel****POWERMASTER**

- Decorative Conversion Bezel for Product S15343 & S15344
- Available in Chrome or Brushed
- Assorted Finish



|     |               |                                         |
|-----|---------------|-----------------------------------------|
| 151 | <b>S15345</b> | IP65 Fire Rated Clip on Bezel - Chrome  |
| 152 | <b>S15346</b> | IP65 Fire Rated Clip on Bezel - Brushed |



## 153-155

## Fire Rated Spring Clip Downlights

POWERMASTER

- Pressed Steel
- Assorted Finish
- GU10 Lampholder
- Max. 50W
- 220-240V
- Acoustic Part E
- 30, 60 and 90 Minute Fire Rated
- GU10 Lampholder
- (Lamp not Supplied)



|     |       |                                            |
|-----|-------|--------------------------------------------|
| 153 | S6590 | Fire Rated Spring Clip Downlight - White   |
| 154 | S6591 | Fire Rated Spring Clip Downlight - Chrome  |
| 155 | S6592 | Fire Rated Spring Clip Downlight - Brushed |



## 156-158

## Fire Rated Twist & Lock Downlights

POWERMASTER

- Pressed Steel
- Assorted Finish
- GU10 Lampholder
- Max. 50W
- 220-240V
- Acoustic Part E
- 30, 60 and 90 Minute Fire Rated
- Twist & Lock Access
- GU10 Lampholder
- (Lamp not Supplied)



|     |       |                                             |
|-----|-------|---------------------------------------------|
| 156 | S9609 | Fire Rated Twist & Lock Downlight - White   |
| 157 | S9610 | Fire Rated Twist & Lock Downlight - Chrome  |
| 158 | S9611 | Fire Rated Twist & Lock Downlight - Brushed |



## 159-161

## Fire Rated Tilt Downlights

POWERMASTER

- Pressed Steel
- Assorted Finish
- GU10 Lampholder
- Max. 50W
- 220-240V
- Acoustic Part E
- 30, 60 and 90 Minute Fire Rated
- Adjustable Tilt Function
- GU10 Lampholder
- (Lamp not Supplied)



|     |        |                                       |
|-----|--------|---------------------------------------|
| 159 | S12929 | Fire Rated Spring Clip Tilt - White   |
| 160 | S12930 | Fire Rated Spring Clip Tilt - Chrome  |
| 161 | S12931 | Fire Rated Spring Clip Tilt - Brushed |



## 162-164


## IP65 Fire Rated Downlights

POWERMASTER

- Die Cast Aluminium
- Clear Glass
- Assorted Finish
- Max. 35W
- 220-240V
- IP65
- Acoustic Part E
- 30, 60 and 90 Minute Fire Rated
- GU10 Lampholder
- (Lamp not Supplied)



|     |       |                                   |
|-----|-------|-----------------------------------|
| 162 | S6593 | IP65 & Fire Rated Fixed - White   |
| 163 | S6594 | IP65 & Fire Rated Fixed - Chrome  |
| 164 | S6595 | IP65 & Fire Rated Fixed - Brushed |



## 165-167


## IP65 Slimline Downlights

POWERMASTER

- Die Cast Aluminium
- Frosted Glass
- Assorted Finish
- Max. 35W
- 220-240V 220-240V
- IP65
- Acoustic Part E
- Slimline
- GU10 Lampholder
- (Lamp not Supplied)



|     |       |                                   |
|-----|-------|-----------------------------------|
| 165 | S7686 | IP65 Slimline Downlight - White   |
| 166 | S7687 | IP65 Slimline Downlight - Chrome  |
| 167 | S7688 | IP65 Slimline Downlight - Brushed |



## 168

## IP44 Bathroom Spotlight

POWERMASTER

- Aluminium
- Frosted Lens
- Brushed Chrome & Chrome
- Max. 35W
- 220-240V
- IP44
- 3 x GU10 Lampholder
- (Lamp not Supplied)



|     |       |                                |
|-----|-------|--------------------------------|
| 168 | S6843 | IP44 Chrome Bathroom Spotlight |
|-----|-------|--------------------------------|

## 169-171

## Fire Rated T&L Fixed Downlights

LUMILIFE

- Cut-out: 72mm\*
- Part B (Fire Safety)
- Part C (Resistance to Moisture)
- Part E (Resistance to Sound) compliant
- GU10 Lampholder
- (Lamp not Supplied)



|     |        |                                   |
|-----|--------|-----------------------------------|
| 169 | S15499 | Fire Rated T&L Fixed DL - Brushed |
| 170 | S15500 | Fire Rated T&L Fixed DL - Chrome  |
| 171 | S15501 | Fire Rated T&L Fixed DL - White   |

\* Approximate measurement

## 172-174

## Fire Rated Tilt Downlights

LUMILIFE

- Cut-out: 85mm\*
- Quick connector, hassle-free.
- 30° Tilt (one direction)
- Part B (Fire Safety)
- Part C (Resistance to Moisture)
- Part E (Resistance to Sound) compliant
- GU10 Lampholder
- (Lamp not Supplied)



|     |        |                              |
|-----|--------|------------------------------|
| 172 | S15502 | Fire Rated Tilt DL - Brushed |
| 173 | S15503 | Fire Rated Tilt DL - Chrome  |
| 174 | S15504 | Fire Rated Tilt DL - White   |

\* Approximate measurement

## 175-177

## IP65 & Fire Rated Fixed Downlights

LUMILIFE

- Cut-out: 72mm\*
- Die Cast Aluminium
- Clear Glass
- Assorted Finish
- Max. 35W
- 220-240V
- IP65
- Acoustic Part E
- 30, 60 and 90 Minute Fire Rated
- GU10 Lampholder
- (Lamp not Supplied)



|     |        |                                      |
|-----|--------|--------------------------------------|
| 175 | S15505 | IP65 & Fire Rated Fixed DL - Brushed |
| 176 | S15506 | IP65 & Fire Rated Fixed DL - Chrome  |
| 177 | S15507 | IP65 & Fire Rated Fixed DL - White   |

\* Approximate measurement

## 178-179

## IP65 Single Tri-Proof Batten Fittings

POWERMASTER

- ABS Base
- PS Diffuser
- PC Clips
- T8 Lampholder
- 220-240V
- IP65
- High Frequency Ballast
- Tri-Proof
- Tube not supplied



|     |       |                                          |
|-----|-------|------------------------------------------|
| 178 | S6316 | Fluorescent 4ft / 120cm IP65 T8 - Single |
|-----|-------|------------------------------------------|

|     |       |                                          |
|-----|-------|------------------------------------------|
| 179 | S6317 | Fluorescent 5ft / 150cm IP65 T8 - Single |
|-----|-------|------------------------------------------|



## 180-181

## IP65 Twin Tri-Proof Batten Fittings

POWERMASTER

- ABS Base
- PS Diffuser
- PC Clips
- T8 Lampholders
- 220V-240V
- IP65
- High Frequency Ballast
- Tri-Proof
- Twin Fitting
- Tube not supplied



|     |       |                                       |
|-----|-------|---------------------------------------|
| 180 | S6318 | Fluorescent 4ft / 120cm IP65 T8 -Twin |
|-----|-------|---------------------------------------|

|     |       |                                        |
|-----|-------|----------------------------------------|
| 181 | S6319 | Fluorescent 5ft / 150cm IP65 T8 - Twin |
|-----|-------|----------------------------------------|





**182-185****Fluorescent Single Batten Fittings****POWERMASTER**

- Iron
- White
- T8 Lampholders
- 220-240V
- High Frequency Ballast



|     |       |                                     |
|-----|-------|-------------------------------------|
| 182 | S6310 | Fluorescent 2ft / 60cm T8 - Single  |
| 183 | S6311 | Fluorescent 4ft / 120cm T8 - Single |
| 184 | S6312 | Fluorescent 5ft / 150cm T8 - Single |
| 185 | S6313 | Fluorescent 6ft / 180cm T8 - Single |

**186-188****Fluorescent Twin Batten Fittings****POWERMASTER**

- Iron
- White
- T8 Lampholders
- 220-240V
- High Frequency Ballast
- Twin Fitting



|     |        |                                   |
|-----|--------|-----------------------------------|
| 186 | S6320  | Fluorescent 4ft / 120cm T8 - Twin |
| 187 | S6321  | Fluorescent 5ft / 150cm T8 - Twin |
| 188 | S10275 | Fluorescent 6ft / 180cm T8 - Twin |



- Iron
- Brushed Chrome
- 1 x GU10 Lampholder
- Max. 50W
- 220-240V
- GU10 Lampholder
- (Lamp not Supplied)



|     |       |                      |
|-----|-------|----------------------|
| 189 | S6330 | Single Spot - Chrome |
|-----|-------|----------------------|

|     |       |                       |
|-----|-------|-----------------------|
| 190 | S6334 | Single Spot - Brushed |
|-----|-------|-----------------------|



- Iron
- Assorted Finish
- GU10 Lampholders
- Max. 50W
- 220-240V
- GU10 Lampholder
- (Lamp not Supplied)



|     |       |                        |
|-----|-------|------------------------|
| 191 | S6331 | Twin Bar Spot - Chrome |
|-----|-------|------------------------|

|     |       |                         |
|-----|-------|-------------------------|
| 192 | S6335 | Twin Bar Spot - Brushed |
|-----|-------|-------------------------|



- Iron
- Assorted Finish
- 3 x GU10 Lampholders
- Max. 50W
- 220-240V
- GU10 Lampholder
- (Lamp not Supplied)



|     |       |                          |
|-----|-------|--------------------------|
| 193 | S6332 | Triple Bar Spot - Chrome |
|-----|-------|--------------------------|

|     |       |                           |
|-----|-------|---------------------------|
| 194 | S6336 | Triple Bar Spot - Brushed |
|-----|-------|---------------------------|



**195-196****Four Bar Folding Spotlights****POWERMASTER**

- Iron
- Assorted Finish
- Max. 50W
- 220-240V
- Folding 4 Bar
- 4 x GU10 Lampholder
- (Lamp not Supplied)



|     |       |                                 |
|-----|-------|---------------------------------|
| 195 | S6333 | Four Bar Folding Spot - Chrome  |
| 196 | S6337 | Four Bar Folding Spot - Brushed |

**197****Triple Plate Spotlight****POWERMASTER**

- Iron
- Assorted Finish
- Max. 50W
- 220-240V
- Mini Spotlight
- 3 x GU10 Lampholder
- (Lamp not Supplied)



|     |       |                             |
|-----|-------|-----------------------------|
| 197 | S6833 | Triple Plate Spot - Brushed |
|-----|-------|-----------------------------|

**198****Triple Spiral Spotlight****POWERMASTER**

- For indoor use only
- Not suitable for Zones 1 and 2
- Dimensions (mm) 265x250 x 135\*
- Suitable for use with a dimmer
- 3 x GU10 Lampholder
- (Lamp not Supplied)



|     |       |                              |
|-----|-------|------------------------------|
| 198 | S6654 | Triple Spiral Spot - Brushed |
|-----|-------|------------------------------|



\* Approximate measurement

- Zinc Alloy
- Assorted Finish
- Max. 50W
- 220-240V
- Pre-Fitted Spring Clips
- 120° Tilt\*
- 3 x GU10 Lampholder
- (Lamp not Supplied)



|     |       |                                      |
|-----|-------|--------------------------------------|
| 199 | S6324 | Triple Fixed Downlight Kit - White   |
| 200 | S6325 | Triple Fixed Downlight Kit - Chrome  |
| 201 | S6326 | Triple Fixed Downlight Kit - Brushed |
| 202 | S6328 | Triple Tilt Downlight Kit - Chrome*  |
| 203 | S6329 | Triple Tilt Downlight Kit - Brushed* |

\* Approximate measurement



- Iron & Plastic
- E5 Lampholder
- Max. 40W
- 220-240V
- 1.6m Lead Wire
- On/Off Switch



|     |       |                   |
|-----|-------|-------------------|
| 204 | S6301 | Desk Lamp - Black |
| 205 | S6302 | Desk Lamp - White |



## 206-210

## Floodlights &amp; PIR Sensor Floodlights

POWERMASTER

- Aluminium
- Clear Tempered Glass
- R7s Lampholder
- 220-240V
- IP44
- 180° Degree PIR
- 12m Range
- (Lamp not Supplied)



|     |              |                            |
|-----|--------------|----------------------------|
| 206 | <b>S5885</b> | Black Flood - 500W Max     |
| 207 | <b>S5889</b> | Black PIR Flood - 500W Max |
| 208 | <b>S5890</b> | White PIR Flood - 500W Max |
| 209 | <b>S5891</b> | Black PIR Flood - 150W Max |
| 210 | <b>S5892</b> | White PIR Flood - 150W Max |



## 211-212

## PIR Standalone Sensors 180°

POWERMASTER

- Plastic
- Opal Lens
- Horizontal Movement - 140 Degree
- Vertical Movement - 90 Degree
- Switching Capacity 1,100W
- 220-240V
- 180° Degree PIR
- 12m Range
- IP44



|     |              |                                      |
|-----|--------------|--------------------------------------|
| 211 | <b>S5909</b> | PIR 180° Small Motion Sensor - Black |
| 212 | <b>S8161</b> | PIR 180° Large Motion Sensor - Black |



## 213-214

### Oval Bulkheads

POWERMASTER

- Polypropylene Base
- Prismatic Glass Lens
- Protective Cage
- ES Lampholder
- Max. 60W
- 220-240V
- IP44
- (Lamp not Supplied)



|     |       |                       |
|-----|-------|-----------------------|
| 213 | S5879 | Oval Bulkhead - Black |
| 214 | S5880 | Oval Bulkhead - White |



## 215

### Round Bulkhead

POWERMASTER

- Polypropylene Base
- Prismatic Glass Lens
- Protective Cage
- ES Lampholder
- Max. 100W
- 220-240V
- IP44
- (Lamp not Supplied)



|     |       |                        |
|-----|-------|------------------------|
| 215 | S5881 | Round Bulkhead - Black |
|-----|-------|------------------------|



## 216

### Polycarb Bulkhead

POWERMASTER

- Polypropylene Base
- Polycarbonate Diffuser
- ES Lampholder
- Max 100W
- 220-240V
- IP65
- (Lamp not Supplied)



|     |       |                              |
|-----|-------|------------------------------|
| 216 | S6354 | Polycarb Bulkhead - 100W Max |
|-----|-------|------------------------------|



**217-218****6 Sided Wall Lanterns****POWERMASTER**

- Aluminium
- Clear Glass
- ES Lampholder
- Max. 60W
- 220-240V
- IP44



|            |              |                         |
|------------|--------------|-------------------------|
| <b>217</b> | <b>S5895</b> | 6 Sided Lantern - Black |
| <b>218</b> | <b>S5896</b> | 6 Sided Lantern - White |

**219****6 Sided Plastic 2-in-1 Wall Lantern****POWERMASTER**

- Plastic
- Clear Glass
- ES Lampholder
- Max. 60W
- 220-240V
- IP44
- Dual Mounting (2-in-1)
- Anti Corrosion



|            |              |                                        |
|------------|--------------|----------------------------------------|
| <b>219</b> | <b>S6645</b> | 6 Sided 2-in-1 Plastic Lantern - Black |
|------------|--------------|----------------------------------------|

**220-221****4 Sided Wall Lanterns****POWERMASTER**

- Aluminium
- Clear Glass
- ES Lampholder
- Max. 60W
- 220-240V
- IP44



|            |              |                         |
|------------|--------------|-------------------------|
| <b>220</b> | <b>S5897</b> | 4 Sided Lantern - Black |
| <b>221</b> | <b>S5898</b> | 4 Sided Lantern - White |

222

## 4 Sided Wall Lantern

POWERMASTER

- Aluminium
- Leaded Effect Glass
- Black / Silver Finish
- ES Lampholder
- Max. 60W
- 220-240V
- IP23



Black &amp; Silver



E27 - ES GLS



IP Rated

222

S5901

Leaded 4 Sided Lantern - Black / Silver

223-224

## 3 Sided Half Wall Lanterns

POWERMASTER

- Aluminium
- Clear Glass
- ES Lampholder
- Max. 60W
- 220-240V
- IP44



Black



White



E27 - ES GLS



IP Rated

223

S5906

3 Sided Half Wall Lantern - Black

224

S5907


3 Sided Half Wall Lantern - White

225

## 8 Sided Pavilion Lantern

POWERMASTER

- Aluminium
- PC Diffuser
- Charcoal Finish
- 8 Sided
- IP44
- Class I
- 220-240V



Charcoal



E27 - ES GLS



IP Rated

225

S12511


8 Sided Pavilion Lantern - Charcoal

226

## Stainless Steel Wall Lantern

POWERMASTER

- Stainless Steel
- Clear Glass
- ES Lampholder
- Max. 60W
- 220-240V
- IP44



226

S5908


Tube Wall Lantern - Stainless Steel

227

## Stainless Steel Twin Wall Spotlight

POWERMASTER

- Stainless Steel
- Clear Tempered Glass
- Dual Illumination Light
- 2 x GU10 Lampholders
- 220-240V
- IP44



227

S6831


Twin Wall Spotlight - Stainless Steel

228

## Stainless Steel PIR Twin Wall Spotlight

POWERMASTER

- Stainless Steel
- Clear Tempered Glass
- Dual Illumination Light
- Motion Sensor PIR
- 90° PIR
- Pulsed Manual Override (PMO)
- 220-240V
- IP44



228

S8163

PIR Twin Wall Spotlight - Stainless Steel

229-230

## PIR 6 Sided Wall Lanterns

POWERMASTER

- Aluminium
- Clear Glass
- ES Lampholder
- Max. 60W
- IP43
- 220-240V
- 120° Degree PIR
- 8m Range



229

S5902

PIR 6 Sided Lantern - Black

230

S5903

PIR 6 Sided Lantern - White

231-232

## PIR 4 Sided Wall Lanterns

POWERMASTER

- Aluminium
- Clear Glass
- ES Lampholder
- Max. 60W
- 220-240V
- IP43
- 120° Degree PIR
- 8m Range



231

S5904

PIR 4 Sided Lantern - Black

232

S5905

PIR 4 Sided Lantern - White

# PRODUCT INFORMATION

| Page | Item No. | Short Code | Barcode       | Description                                  | Lamp Supplied | W (mm) | D (mm) | H (mm) | Case | Wattage | Lamp Type | Lumens    | Kelvin |
|------|----------|------------|---------------|----------------------------------------------|---------------|--------|--------|--------|------|---------|-----------|-----------|--------|
| 6    | 1        | S11566     | 5050028118374 | LED Slimline Rechargeable Worklight          | Yes           | 145    | 166    | 275    | 10   | 10W     | SMD LED   | 500       | 6,000K |
|      | 2        | S11567     | 5050028118381 | LED Slimline Rechargeable Worklight          | Yes           | 215    | 184    | 311    | 8    | 20W     | SMD LED   | 1,000     | 6,000K |
|      | 3        | S12120     | 5050028134985 | LED 240V Portable Worklight                  | Yes           | 212    | 182    | 265    | 6    | 20W     | SMD LED   | 1,600     | 6,500K |
| 7    | 4        | S12121     | 5050028134978 | LED 240V Single Tripod Worklight             | Yes           | 970    | 724    | 1705   | 4    | 20W     | SMD LED   | 1,600     | 6,500K |
|      | 5        | S12122     | 5050028134961 | LED 240V Twin Tripod Worklight               | Yes           | 970    | 724    | 1725   | 4    | 2x20W   | SMD LED   | 2x1,600   | 6,500K |
| 8    | 6        | S13420     | 5050028160687 | LED 110V Telescopic Worklight                | Yes           | 970    | 724    | 1705   | 4    | 20W     | SMD LED   | 1,600     | 6,500K |
|      | 7        | S13421     | 5050028160694 | LED 110V Twin Telescopic Worklight           | Yes           | 970    | 724    | 1725   | 4    | 2x20W   | SMD LED   | 2x1,600   | 6,500K |
|      | 8        | S15451     | 5050028200550 | LED Dimmable UFO High Bay                    | Yes           | 252    | 252    | 201    | 1    | 150W    | SMD LED   | 26,000    | 5,000K |
| 9    | 9        | S15452     | 5050028200567 | LED Dimmable UFO High Bay                    | Yes           | 280    | 280    | 225    | 1    | 200W    | SMD LED   | 26,000    | 5,000K |
|      | 10       | S15455     | 5050028209287 | LED UFO Highbay IP65 Sensor                  | No            | 118    | 72     | 59     | 10   | N/A     | N/A       | N/A       | N/A    |
|      | 11       | S15456     | 5050028209294 | LED UFO Highbay Bracket                      | No            | 246    | 135    | 80     | 10   | N/A     | N/A       | N/A       | N/A    |
|      | 12       | S16355     | 5055726742333 | 60 Degree Reflector                          | N/A           | 463    | 463    | 200    | 1    | N/A     | N/A       | N/A       | N/A    |
| 10   | 13       | S16356     | 5055726742340 | 90 Degree Reflector                          | N/A           | 400    | 400    | 132    | 1    | N/A     | N/A       | N/A       | N/A    |
|      | 14       | S16281     | 5055726732372 | Essentials - 5700k - 100W                    | Yes           | 252    | 252    | 200    | 1    | 100W    | LED       | 13,000    | 5,700K |
|      | 15       | S16282     | 5055726732389 | Essentials - 5700k - 150W                    | Yes           | 252    | 252    | 200    | 1    | 150W    | LED       | 19,500    | 5,700K |
|      | 16       | S16283     | 5055726732396 | Essentials - 5700k - 200W                    | Yes           | 295    | 295    | 206    | 1    | 200W    | LED       | 26,000    | 5,700K |
|      | 17       | S16203     | 5055726725329 | Adjustable Installation Bracket - Ess        | N/A           | 245    | 80     | 125    | 20   | N/A     | N/A       | N/A       | N/A    |
|      | 18       | S15649     | 5055726725367 | 70 Degree Clear Reflector - Prem & Ess       | N/A           | 413    | 413    | 276    | 20   | N/A     | N/A       | N/A       | N/A    |
|      | 19       | S15647     | 5055726725336 | 60 Degree Aluminium Reflector - Prem & Ess   | N/A           | 343    | 343    | 130    | 20   | N/A     | N/A       | N/A       | N/A    |
|      | 20       | S15648     | 5055726725343 | 90 Degree Aluminium Reflector - Prem & Ess   | N/A           | 353    | 353    | 130    | 20   | N/A     | N/A       | N/A       | N/A    |
| 11   | 21       | S15657     | 5055726736158 | Merrytek Highbay Micro & Daylight Sensor     | N/A           | 59     | 59     | 180    | 20   | N/A     | N/A       | N/A       | N/A    |
|      | 22       | S15679     | 5055726739616 | Merrytek Sensor Remote Control               | N/A           | 55     | 15     | 115    | 0    | N/A     | N/A       | N/A       | N/A    |
|      | 23       | S15646     | 5055726725299 | Sensor & Bracket                             | N/A           | 101    | 26     | 52     | 20   | N/A     | N/A       | N/A       | N/A    |
|      | 24       | S18757     | 5050028266884 | 170LM/W UFO Highbay 4000K - 100W             | Yes           | 240    | 240    | 165    | 1    | 100W    | LED       | 17,000    | 4000K  |
|      | 25       | S18760     | 5050028266914 | 170LM/W UFO Highbay 5700K - 100W             | Yes           | 240    | 240    | 165    | 1    | 100W    | LED       | 17,000    | 5700K  |
|      | 26       | S18758     | 5050028266891 | 170LM/W UFO Highbay 4000K - 150W             | Yes           | 280    | 280    | 165    | 1    | 150W    | LED       | 25,500    | 4000K  |
|      | 27       | S18761     | 5050028266921 | 170LM/W UFO Highbay 5700K - 150W             | Yes           | 280    | 280    | 165    | 1    | 150W    | LED       | 25,500    | 5700K  |
|      | 28       | S18759     | 5050028266907 | 170LM/W UFO Highbay 4000K - 200W             | Yes           | 320    | 320    | 165    | 1    | 200W    | LED       | 34,000    | 4000K  |
|      | 29       | S18762     | 5050028266938 | 170LM/W UFO Highbay 5700K - 200W             | Yes           | 320    | 320    | 165    | 1    | 200W    | LED       | 34,000    | 5700K  |
|      | 30       | S18768     | 5050028266990 | 170LM/W UFO HB Alum Ref 60 Deg - 100W        | N/A           | 337    | 337    | 80     | 20   | N/A     | N/A       | N/A       | N/A    |
|      | 31       | S18765     | 5050028266969 | 170LM/W UFO HB Alum Ref 90 Deg - 100W        | N/A           | 337    | 337    | 80     | 20   | N/A     | N/A       | N/A       | N/A    |
|      | 32       | S18769     | 5050028267003 | 170LM UFO HB Alum Ref 60 Deg - 150W          | N/A           | 380    | 380    | 87     | 20   | N/A     | N/A       | N/A       | N/A    |
|      | 33       | S18766     | 5050028266976 | 170LM UFO HB Alum Ref 90 Deg - 150W          | N/A           | 373    | 373    | 80     | 20   | N/A     | N/A       | N/A       | N/A    |
|      | 34       | S18767     | 5050028266983 | 170LM/W UFO HB Alum Ref 90 Deg 200W          | N/A           | 475    | 475    | 140    | 20   | N/A     | N/A       | N/A       | N/A    |
| 12   | 35       | S18770     | 5050028267010 | 170LM/W UFO HB PC Reflector 100W             | N/A           | 335    | 335    | 80     | 20   | N/A     | N/A       | N/A       | N/A    |
|      | 36       | S18771     | 5050028267027 | 170LM/W UFO HB PC Reflector 150W             | N/A           | 385    | 385    | 82     | 20   | N/A     | N/A       | N/A       | N/A    |
|      | 37       | S18772     | 5050028267034 | 170LM/W UFO HB PC Reflector 200W             | N/A           | 413    | 413    | 143    | 10   | N/A     | N/A       | N/A       | N/A    |
|      | 38       | S18763     | 5050028266945 | 170LM/W UFO Highbay Sensor                   | N/A           | 36.5   | 36     | 9      | 50   | N/A     | N/A       | N/A       | N/A    |
|      | 39       | S18764     | 5050028266952 | 170LM/W UFO Highbay Controller               | N/A           | 100    | 40     | 10     | 50   | N/A     | N/A       | N/A       | N/A    |
|      | 40       | S18773     | 5050028267041 | 170LM UFO HB Emergency Driver 15W            | N/A           | 279    | 108.2  | 108.2  | 1    | N/A     | N/A       | N/A       | N/A    |
| 13   | 41       | S16030     | 5055726721314 | 3Hr Emergency LED Twin spot IP65 - Self test | Yes           | 226    | 227    | 62     | 6    | 6W      | LED       | 350       | N/A    |
|      | 42       | S18406     | 5050028257080 | 70W Flood 3000K                              | Yes           | 229    | 480    | 232    | 6    | 70W     | LED       | 8,400     | 3000K  |
|      | 43       | S18411     | 5050028257134 | 100W Flood 5000K                             | Yes           | 272    | 60     | 315    | 6    | 100W    | LED       | 12,000    | 5000K  |
|      | 44       | S18412     | 5050028257141 | 150W Flood 5000K                             | Yes           | 294    | 60     | 351    | 2    | 150W    | LED       | 18,000    | 5000K  |
|      | 45       | S18413     | 5050028257158 | 200W Flood 5000K                             | Yes           | 347    | 60     | 408    | 2    | 200W    | LED       | 24,000    | 5000K  |
|      | 46       | S18530     | 5050028262008 | 30W Wall Pack CCT                            | Yes           | 264    | 117    | 309    | 6    | 30W     | LED       | CCT       | CCT    |
| 14   | 47       | S8991      | 5050028082170 | LED Polo CCT Fitting - Emergency             | Yes           | 325    | 325    | 100    | 12   | 15W     | SMD LED   | 1320-1440 | 4,000K |
|      | 48       | S17474     | 5050028252030 | LED Polo CCT Fitting - Microwave             | Yes           | 325    | 325    | 100    | 12   | 15W     | SMD LED   | 1320-1440 | 4,000K |
|      | 49       | S17475     | 5050028252047 | LED Polo CCT Fitting - Emergency             | Yes           | 325    | 325    | 100    | 12   | 15W     | SMD LED   | 1320-1440 | 6,000K |
|      | 50       | S17476     | 5050028238751 | LED Polo CCT Fitting - Micro & Emer          | Yes           | 325    | 325    | 100    | 12   | 15W     | SMD LED   | 1320-1440 | 6,000K |

# PRODUCT INFORMATION

| Page | Item No. | Short Code | Barcode       | Description                                  | Lamp Supplied | W (mm) | D (mm) | H (mm) | Case | Wattage | Lamp Type | Lumens    | Kelvin |
|------|----------|------------|---------------|----------------------------------------------|---------------|--------|--------|--------|------|---------|-----------|-----------|--------|
| 14   | 51       | S18432     | 5050028259312 | Polo CCT 15W                                 | Yes           | 325    | 325    | 100    | 12   | 15W     | LED       | CCT       | CCT    |
|      | 52       | S18433     | 5050028259329 | Polo CCT 15W - Micro                         | Yes           | 325    | 325    | 100    | 12   | 15W     | LED       | CCT       | CCT    |
|      | 53       | S18434     | 5050028259336 | Polo CCT 15W - Emergency                     | Yes           | 325    | 325    | 100    | 12   | 15W     | LED       | CCT       | CCT    |
|      | 54       | S18435     | 5050028259343 | Polo CCT 15W - Micro & Emerg                 | Yes           | 325    | 325    | 100    | 12   | 15W     | LED       | CCT       | CCT    |
|      | 55       | S18436     | 5050028259350 | Polo CCT 15W - Micro Corridor                | Yes           | 325    | 325    | 100    | 12   | 15W     | LED       | CCT       | CCT    |
|      | 56       | S18437     | 5050028259367 | Polo CCT 15W - Micro Emerg Corridor          | Yes           | 325    | 325    | 100    | 12   | 15W     | LED       | CCT       | CCT    |
| 15   | 57       | S17320     | 5050028238645 | 8W LED Gear Tray CCT                         | Yes           | 180    | 180    | 30     | 20   | 8W      | SMD LED   | 920       | 6,000K |
|      | 58       | S17321     | 5050028238652 | 8W LED Emer Gear Tray CCT                    | Yes           | 180    | 180    | 30     | 20   | 8W      | SMD LED   | 920       | 6,000K |
|      | 59       | S17314     | 5050028238584 | 15W LED Gear Tray CCT                        | Yes           | 243    | 243    | 30     | 20   | 15W     | SMD LED   | 1,725     | N/A    |
|      | 60       | S17316     | 5050028238607 | 15W LED Micro Gear Tray CCT                  | Yes           | 243    | 243    | 30     | 20   | 15W     | SMD LED   | 1,725     | N/A    |
|      | 61       | S17315     | 5050028238591 | 15W LED Emer Gear Tray CCT                   | Yes           | 243    | 243    | 30     | 20   | 15W     | SMD LED   | 1,725     | N/A    |
|      | 62       | S17317     | 5050028238614 | 15W LED Emer & Micro Gear Tray CCT           | Yes           | 243    | 243    | 30     | 20   | 15W     | SMD LED   | 1,725     | N/A    |
|      | 63       | S17318     | 5050028238621 | 15W LED Emer, Micro & Dim Gear Tray CCT      | Yes           | 243    | 243    | 30     | 20   | 15W     | SMD LED   | 1,725     | N/A    |
|      | 64A      | S17322     | 5050028238669 | 8W Bulkhead Body                             | No            | 180    | 180    | 30     | 10   | N/A     | N/A       | N/A       | N/A    |
|      | 64B      | S18865     | 5050028269472 | 8W Tamper Proof Bulkhead Body                | No            | 205    | 205    | 80     | 12   | N/A     | N/A       | N/A       | N/A    |
|      | 65A      | S17319     | 5050028238638 | 15W Bulkhead Body                            | No            | 325    | 325    | 100    | 12   | N/A     | N/A       | N/A       | N/A    |
| 16   | 65B      | S18866     | 5050028269489 | 15W Tamper Proof Bulkhead Body               | No            | 283    | 283    | 83     | 12   | N/A     | N/A       | N/A       | N/A    |
|      | 66       | S14971     | 5050028188100 | LED 600 x 600 3D Cloud Sky Panel             | Yes           | 600    | 600    | 12     | 4    | 40W     | SMD LED   | 1,500     | 6,000K |
|      | 67       | S16731     | 5050028224532 | 600X600 Backlit Panel TPa - 4000K            | Yes           | 595    | 595    | 32     | 6    | 36W     | LED       | 3,600     | 4000K  |
|      | 68       | S16732     | 5050028224549 | 600X600 Backlit Panel TPa - 5000K            | Yes           | 595    | 595    | 32     | 6    | 36W     | LED       | 3,780     | 5000K  |
|      | 69       | S16733     | 5050028224556 | 600X600 Backlit Panel TPa - 6000K            | Yes           | 595    | 595    | 32     | 6    | 36W     | LED       | 3,600     | 6000K  |
|      | 70       | S16359     | 5055726736172 | 600X600 Sidelit Panel - 4000K                | Yes           | 595    | 595    | 10     | 4    | 40W     | LED       | 4,000     | 4000K  |
|      | 71       | S16285     | 5055726736189 | 600X600 Sidelit Panel - 5000K                | Yes           | 595    | 595    | 10     | 4    | 40W     | LED       | 4,000     | 5000K  |
|      | 72       | S16288     | 5055726736219 | 300X1200 Sidelit Panel - 4000K               | Yes           | 395    | 1195   | 10     | 4    | 40W     | LED       | 4,000     | 4000K  |
|      | 73       | S16286     | 5055726736196 | 600X1200 Sidelit Panel - 4000K               | Yes           | 1195   | 595    | 8      | 2    | 60W     | LED       | 6,000     | 4000K  |
|      | 74       | S16287     | 5055726736202 | 600X1200 Sidelit Panel - 5000K               | Yes           | 1195   | 595    | 8      | 2    | 60W     | LED       | 6,000     | 5000K  |
| 17   | 75       | S15658     | 5055726736271 | 600X600 Sidelit Panel Frame                  | N/A           | 600    | 600    | 45     | 25   | N/A     | N/A       | N/A       | N/A    |
|      | 76       | S15659     | 5055726736288 | 600X1200 Sidelit Panel Frame                 | N/A           | 1200   | 600    | 45     | 20   | N/A     | N/A       | N/A       | N/A    |
|      | 77       | S15660     | 5055726736295 | 300X600 Sidelit Panel Frame                  | N/A           | 300    | 600    | 45     | 25   | N/A     | N/A       | N/A       | N/A    |
|      | 78       | S15661     | 5055726736301 | 300X1200 Sidelit Panel Frame                 | N/A           | 1200   | 300    | 45     | 20   | N/A     | N/A       | N/A       | N/A    |
|      | 79       | S18416     | 5050028258629 | 600X600 Backlit Panel Frame                  | N/A           | 600    | 600    | 67     | 25   | N/A     | N/A       | N/A       | N/A    |
|      | 80       | S15671     | 5055726738756 | LED 4pcs 1m Suspension Kit for LED Panels    | N/A           | 40     | 30     | 30     | 150  | N/A     | N/A       | N/A       | N/A    |
|      | 81       | S18428     | 5050028259237 | LED Panel Emergency Kit                      | N/A           | 61     | 42.5   | 31.5   | 50   | N/A     | N/A       | N/A       | N/A    |
|      | 82       | S15595     | 5055726730637 | Universal Panel Emergency Kit                | 40W           | 68     | 270    | 38     | 1    | N/A     | N/A       | N/A       | N/A    |
|      | 83       | S15608     | 5055726738084 | LED Emergency Pack for Downlights ≥ 15W      | N/A           | 68     | 270    | 38     | 1    | N/A     | N/A       | N/A       | N/A    |
|      | 84       | S15609     | 5055726741343 | LED 230V Emergency Pack for Downlights ≤ 15W | N/A           | 68     | 270    | 38     | 1    | N/A     | N/A       | N/A       | N/A    |
| 18   | 85       | S17438     | 5050028251453 | Non Dimmable Driver 40W                      | N/A           | 116    | 41     | 25     | 80   | 40W     | N/A       | N/A       | N/A    |
|      | 86       | S17439     | 5050028251460 | Non Dimmable Driver 60W                      | N/A           | 175    | 50     | 23     | 30   | 60W     | N/A       | N/A       | N/A    |
|      | 87       | S17440     | 5050028251477 | Triac Driver 45W                             | N/A           | 155    | 53     | 30     | 100  | 45W     | N/A       | N/A       | N/A    |
|      | 88       | S17441     | 5050028251484 | Dali Driver 60W                              | N/A           | 106    | 69     | 28     | 80   | 42W     | N/A       | N/A       | N/A    |
| 19   | 89       | S17430     | 5050028251378 | Circular Panel Recessed CCT                  | Yes           | 118    | 118    | 13     | 20   | 6W      | SMD LED   | 360-420   | N/A    |
|      | 90       | S17431     | 5050028251385 | Circular Panel Recessed CCT                  | Yes           | 170    | 170    | 13     | 20   | 12W     | SMD LED   | 780-900   | N/A    |
|      | 91       | S17432     | 5050028251392 | Circular Panel Recessed CCT                  | Yes           | 220    | 220    | 13     | 20   | 18W     | SMD LED   | 1386-1674 | N/A    |
|      | 92       | S17433     | 5050028251408 | Circular Panel Recessed CCT                  | Yes           | 280    | 280    | 13     | 20   | 24W     | SMD LED   | 1848-2232 | N/A    |
|      | 93       | S17434     | 5050028251415 | Circular Panel Surface CCT                   | Yes           | 118    | 118    | 13     | 20   | 6W      | SMD LED   | 360-420   | N/A    |
|      | 94       | S17435     | 5050028251422 | Circular Panel Surface CCT                   | Yes           | 170    | 170    | 13     | 20   | 12W     | SMD LED   | 780-900   | N/A    |
|      | 95       | S17436     | 5050028251439 | Circular Panel Surface CCT                   | Yes           | 220    | 220    | 13     | 20   | 18W     | SMD LED   | 1386-1674 | N/A    |
|      | 96       | S17437     | 5050028251446 | Circular Panel Surface CCT                   | Yes           | 280    | 280    | 13     | 20   | 24W     | SMD LED   | 1848-2232 | N/A    |
|      | 97       | S18478     | 5050028260967 | Circular Panel Recessed CCT 6W               | Yes           | 120    | 120    | 10     | 20   | 6W      | LED       | CCT       | CCT    |
|      | 98       | S18479     | 5050028260974 | Circular Panel Recessed CCT 12W              | Yes           | 170    | 170    | 10     | 20   | 12W     | LED       | CCT       | CCT    |
|      | 99       | S18480     | 5050028260981 | Circular Panel Recessed CCT 18W              | Yes           | 220    | 220    | 10     | 20   | 18W     | LED       | CCT       | CCT    |

# PRODUCT INFORMATION

| Page | Item No. | Short Code | Barcode       | Description                                 | Lamp Supplied | W (mm) | D (mm) | H (mm) | Case | Wattage | Lamp Type | Lumens | Kelvin   |
|------|----------|------------|---------------|---------------------------------------------|---------------|--------|--------|--------|------|---------|-----------|--------|----------|
| 19   | 100      | S17433     | 5050028251408 | Circular Panel Recessed CCT 24W             | Yes           | 295    | 295    | 13     | 20   | 24W     | LED       | CCT    | CCT      |
| 20   | 101      | S18569     | 5050028263142 | 18W Adjustable CCT Panel                    | Yes           | 225    | 225    | 20     | 20   | 18W     | LED       | CCT    | CCT      |
|      | 102      | S16307     | 5055726738633 | LED 10W Downlight - IP54 CCT                | Yes           | 42     | 29     | 40     | 30   | 10W     | LED       | CCT    | CCT      |
| 21   | 103      | S16228     | 5055726729693 | 8W Downlight CCT                            | Yes           | 47     | 32     | 50     | 24   | 8W      | LED       | CCT    | CCT      |
|      | 104      | S16234     | 5055726729655 | LED 18W Downlight CCT                       | Yes           | 53     | 53     | 46     | 12   | 18W     | LED       | CCT    | CCT      |
|      | 105      | S16199     | 5055726714569 | LED 35W Downlight - Dimmable - IP54 DL-W    | Yes           | 48     | 48     | 44     | 20   | 35W     | LED       | 263    | 4000K    |
|      | 106      | S16193     | 5055726714392 | LED 35W Downlight - Dimmable - IP54         | Yes           | 48     | 48     | 44     | 20   | 35W     | LED       | 2,760  | 5700K    |
|      | 107      | S18590     | 5050028263593 | LED 2ft IP20 Screwless Batten - 10W Single  | Yes           | 600    | 61     | 71     | 20   | 10W     | LED       | 1,300  | 4000K    |
|      | 108      | S15400     | 5050028208631 | LED 4ft IP20 Screwless Batten - 20W Single  | Yes           | 1170   | 61     | 71     | 10   | 20W     | SMD LED   | 2,400  | 4000K    |
|      | 109      | S15404     | 5050028208686 | LED IP20 Batten 5ft 150Cm Twin              | Yes           | 1470   | 61     | 71     | 8    | 60W     | SMD LED   | 7,200  | 4000K    |
|      | 110      | S15408     | 5050028208716 | LED IP20 Batten 6ft 180Cm Twin              | Yes           | 1734   | 61     | 71     | 6    | 40W     | SMD LED   | 4,800  | 4000K    |
|      | 111      | S18591     | 5050028263609 | LED 2ft IP20 Screwless Batten - 20W Twin    | Yes           | 600    | 61     | 71     | 8    | 20W     | LED       | 2,600  | 4000K    |
|      | 112      | S15401     | 5050028208648 | LED IP20 Emerg Batten 4ft 120cm Single      | Yes           | 1170   | 61     | 71     | 10   | 20W     | SMD LED   | 2,400  | 4000K    |
| 22   | 113      | S15405     | 5050028208686 | LED IP20 Emerg Batten 5ft 150cm Single      | Yes           | 1470   | 61     | 71     | 8    | 60W     | SMD LED   | 7,200  | 4000K    |
|      | 114      | S15409     | 5050028208723 | LED IP20 Emerg Batten 6ft 180cm Single      | Yes           | 1734   | 61     | 71     | 6    | 65W     | SMD LED   | 7,800  | 4000K    |
|      | 115      | S15402     | 5050028208655 | LED IP20 Emerg Batten 4ft 120cm Twin        | Yes           | 1170   | 61     | 71     | 10   | 20W     | SMD LED   | 2,400  | 4000K    |
|      | 116      | S15406     | 5050028208693 | LED IP20 Emerg Batten 5ft 150cm Twin        | Yes           | 1470   | 61     | 71     | 8    | 30W     | SMD LED   | 3,600  | 4000K    |
|      | 117      | S15410     | 5050028208730 | LED IP20 Emerg Batten 6ft 180cm Twin        | Yes           | 1734   | 61     | 71     | 6    | 40W     | SMD LED   | 4,800  | 4000K    |
|      | 118      | S15403     | 5050028208662 | LED IP20 Batten 4ft Single                  | Yes           | 1170   | 61     | 71     | 10   | 40W     | SMD LED   | 4,800  | 4000K    |
|      | 119      | S15407     | 5050028208709 | LED IP20 Screwless Hinged Batten Twin Emer  | Yes           | 1470   | 61     | 71     | 8    | 60W     | SMD LED   | 7,200  | 4000K    |
|      | 120      | S15411     | 5050028208747 | LED IP20 Screwless Hinged Batten Twin Emer  | Yes           | 1734   | 61     | 71     | 6    | 65W     | SMD LED   | 7,800  | 4000K    |
|      | 121      | S18427     | 5050028259176 | LED IP20 Batten 5ft 150cm Single CCT        | Yes           | 1470   | 61     | 71     | 8    | 30W     | SMD LED   | 7,800  | 4000K    |
|      | 122      | S18568     | 5050028263135 | LED 5ft IP20 Sensor Batten Single - 30W     | Yes           | 1470   | 60     | 71     | 8    | 30W     | SMD LED   | 3,900  | 4000K    |
| 23   | 123      | S15075     | 5050028200598 | LED IP20 Batten 2ft / 60cm                  | Yes           | 610    | 75     | 25     | 20   | 18W     | SMD LED   | 1,440  | 4000K    |
|      | 124      | S15076     | 5050028200604 | LED IP20 Batten 4ft / 120cm                 | Yes           | 1210   | 75     | 25     | 20   | 36W     | SMD LED   | 2,880  | 4000K    |
|      | 125      | S15077     | 5050028200611 | LED IP20 Batten 5ft / 150cm                 | Yes           | 1510   | 75     | 25     | 20   | 45W     | SMD LED   | 3,600  | 4000K    |
|      | 126      | S15078     | 5050028200628 | LED IP20 Batten 6ft / 180cm                 | Yes           | 1810   | 75     | 25     | 20   | 60W     | SMD LED   | 4,800  | 4000K    |
|      | 127      | S9485      | 5050028092148 | LED Compatible 2ft / 60cm T8 - Single       | No            | 626    | 62     | 38     | 20   | N/A     | T8 LED    | N/A    | N/A      |
|      | 128      | S8989      | 5050028082156 | LED Compatible 4ft / 120cm T8 - Single      | No            | 1237   | 62     | 38     | 12   | N/A     | T8 LED    | N/A    | N/A      |
|      | 129      | S8990      | 5050028082163 | LED Compatible 5ft / 150cm T8 - Single      | No            | 1537   | 62     | 38     | 12   | N/A     | T8 LED    | N/A    | N/A      |
|      | 130      | S9486      | 5050028092155 | LED Compatible 6ft / 180cm T8 - Single      | No            | 1801   | 62     | 38     | 12   | N/A     | T8 LED    | N/A    | N/A      |
|      | 131      | S9488      | 5050028092179 | LED Compatible 4ft / 120cm T8 - Twin        | No            | 1237   | 102    | 67     | 12   | N/A     | T8 LED    | N/A    | N/A      |
|      | 132      | S9489      | 5050028092186 | LED Compatible 5ft / 150cm T8 - Twin        | No            | 1537   | 102    | 67     | 12   | N/A     | T8 LED    | N/A    | N/A      |
|      | 133      | S9490      | 5050028092193 | LED Compatible 6ft / 180cm T8 - Twin        | No            | 1801   | 102    | 67     | 12   | N/A     | T8 LED    | N/A    | N/A      |
| 24   | 134      | S9491      | 5050028092285 | LED Compatible 4ft / 120cm T8 IP65 - Single | No            | 1265   | 72     | 86     | 12   | N/A     | T8 LED    | N/A    | N/A      |
|      | 135      | S9493      | 5050028092308 | LED Compatible 5ft / 150cm T8 IP65 - Single | No            | 1565   | 72     | 86     | 12   | N/A     | T8 LED    | N/A    | N/A      |
|      | 136      | S9495      | 5050028092322 | LED Compatible 6ft / 180cm T8 IP65 - Single | No            | 1830   | 100    | 102    | 8    | N/A     | T8 LED    | N/A    | N/A      |
|      | 137      | S9492      | 5050028092292 | LED Compatible 4ft / 120cm T8 IP65 - Twin   | No            | 1265   | 115    | 86     | 8    | N/A     | T8 LED    | N/A    | N/A      |
|      | 138      | S9494      | 5050028092315 | LED Compatible 5ft / 150cm T8 IP65 - Twin   | No            | 1565   | 115    | 86     | 8    | N/A     | T8 LED    | N/A    | N/A      |
|      | 139      | S9496      | 5050028092339 | LED Compatible 6ft / 180cm T8 IP65 - Twin   | No            | 1830   | 152    | 102    | 6    | N/A     | T8 LED    | N/A    | N/A      |
| 25   | 140      | S7135      | 5050028041849 | LED 2m Colour Change Flexi Strip            | Yes           | 2000   | 10     | 10     | 12   | 15W     | SMD LED   | N/A    | CCT      |
| 26   | 141      | S11385     | 5050028115373 | LED White Shaver Light                      | Yes           | 446    | 87     | 55     | 20   | 5W      | SMD LED   | 400    | 4000K    |
|      | 142      | S8160      | 5050028061489 | LED PIR Twin Black Spotlight                | Yes           | 182    | 123    | 226    | 12   | 2 x 6W  | SMD LED   | 1,000  | 5,500K   |
|      | 143      | S9348      | 5050028089414 | LED PIR Bulkhead                            | Yes           | 113    | 113    | 270    | 8    | 10W     | SMD LED   | 470    | 6,000K   |
|      | 144      | S9349      | 5050028089421 | LED Photocell Bulkhead                      | Yes           | 113    | 112    | 270    | 6    | 10W     | SMD LED   | 470    | 6,400K   |
| 27   | 145      | S8250      | 5050028063759 | LED Polycarbonate Bulkhead                  | Yes           | 125    | 120    | 245    | 10   | 10W     | SMD LED   | 650    | 6,500K   |
|      | 146      | S9399      | 5050028090557 | LED 20 White Large Globe Festoon String     | Yes           | 50     | 120    | 14500  | 6    | 3W      | 5mm LED   | TBC    | 6,500K   |
|      | 147      | S8894      | 5050028083504 | LED 20 Coloured Large Globe Festoon String  | Yes           | 50     | 120    | 14500  | 6    | 3W      | 5mm LED   | -      | Coloured |
|      | 148      | S17286     | 5050028237822 | LED 10 Light Linkable Festoon String        | Yes           | 80     | 180    | 9000   | 8    | 20W     | Filament  | 1680   | 2700K    |
| 28   | 149      | S15343     | 5050028207412 | IP65 Fire Rated Downlight - White           | Yes           | 84     | 84     | 55     | 12   | 5W      | SMD LED   | 550    | 3,000K   |
|      | 150      | S15344     | 5050028207429 | IP65 Fire Rated Downlight - White           | Yes           | 84     | 84     | 55     | 12   | 5W      | SMD LED   | 550    | 4,000K   |

# PRODUCT INFORMATION

| Page | Item No. | Short Code | Barcode       | Description                                 | Lamp Supplied | W (mm) | D (mm) | H (mm) | Case | Wattage | Lamp Type | Lumens | Kelvin |
|------|----------|------------|---------------|---------------------------------------------|---------------|--------|--------|--------|------|---------|-----------|--------|--------|
| 28   | 151      | S15345     | 5050028207436 | IP65 Fire Rated Clip on Bezel - Chrome      | No            | 87     | 87     | 6      | 12   | N/A     | SMD       | N/A    | N/A    |
|      | 152      | S15346     | 5050028207443 | IP65 Fire Rated Clip on Bezel - Brushed     | No            | 87     | 87     | 6      | 12   | N/A     | GU10      | N/A    | N/A    |
| 29   | 153      | S6590      | 5050028036401 | Fire Rated Spring Clip Downlights - White   | No            | 84     | 84     | 120    | 40   | N/A     | GU10      | N/A    | N/A    |
|      | 154      | S6591      | 5050028036432 | Fire Rated Spring Clip Downlights - Chrome  | No            | 84     | 84     | 120    | 40   | N/A     | GU10      | N/A    | N/A    |
|      | 155      | S6592      | 5050028036463 | Fire Rated Spring Clip Downlights - Brushed | No            | 84     | 84     | 120    | 40   | N/A     | GU10      | N/A    | N/A    |
|      | 156      | S9609      | 5050028093558 | Fire Rated Twist & Lock Fixed - White       | No            | 92.5   | 92.5   | 115    | 40   | N/A     | GU10      | N/A    | N/A    |
|      | 157      | S9610      | 5050028093565 | Fire Rated Twist & Lock Fixed - Chrome      | No            | 92.5   | 92.5   | 115    | 40   | N/A     | GU10      | N/A    | N/A    |
|      | 158      | S9611      | 5050028093572 | Fire Rated Twist & Lock Fixed - Brushed     | No            | 92.5   | 92.5   | 115    | 40   | N/A     | GU10      | N/A    | N/A    |
|      | 159      | S12929     | 5050028143505 | Fire Rated Spring Clip Tilt - White         | No            | 86     | 86     | 118    | 40   | N/A     | GU10      | N/A    | N/A    |
|      | 160      | S12930     | 5050028143512 | Fire Rated Spring Clip Tilt - Chrome        | No            | 86     | 86     | 118    | 40   | N/A     | GU10      | N/A    | N/A    |
|      | 161      | S12931     | 5050028143529 | Fire Rated Spring Clip Tilt - Brushed       | No            | 86     | 86     | 118    | 40   | N/A     | GU10      | N/A    | N/A    |
|      | 162      | S6593      | 5050028036494 | IP65 & RatedFixed - White                   | No            | 86     | 86     | 125    | 40   | N/A     | GU10      | N/A    | N/A    |
| 30   | 163      | S6594      | 5050028036524 | IP65 & Fire Rated Fixed - Chrome            | No            | 86     | 86     | 125    | 40   | N/A     | GU10      | N/A    | N/A    |
|      | 164      | S6595      | 5050028036555 | IP65 & Fire Rated Fixed - Brushed           | No            | 86     | 86     | 125    | 40   | N/A     | GU10      | N/A    | N/A    |
|      | 165      | S7686      | 5050028048565 | IP65 Slimline Downlight - White             | No            | 83     | 83     | 35     | 40   | N/A     | GU10      | N/A    | N/A    |
|      | 166      | S7687      | 5050028048572 | IP65 Slimline Downlight - Chrome            | No            | 83     | 83     | 35     | 40   | N/A     | GU10      | N/A    | N/A    |
|      | 167      | S7688      | 5050028048589 | IP65 Slimline Downlight - Brushed           | No            | 83     | 83     | 35     | 40   | N/A     | GU10      | N/A    | N/A    |
|      | 168      | S6843      | 5050028040866 | IP44 Chrome Bathroom Spotlight              | No            | 255    | 255    | 175    | 8    | N/A     | GU10      | N/A    | N/A    |
| 31   | 169      | S15499     | 5050028209959 | Fire Rated T&L Fixed DL - Brushed           | No            | 62     | 29     | 42     | 40   | N/A     | GU10      | N/A    | N/A    |
|      | 170      | S15500     | 5050028209966 | Fire Rated T&L Fixed DL - Chrome            | No            | 62     | 29     | 42     | 40   | N/A     | GU10      | N/A    | N/A    |
|      | 171      | S15501     | 5050028209973 | Fire Rated T&L Fixed DL - White             | No            | 62     | 29     | 42     | 40   | N/A     | GU10      | N/A    | N/A    |
|      | 172      | S15502     | 5050028209980 | Fire Rated Tilt DL - Brushed                | No            | 67     | 30     | 42     | 40   | N/A     | GU10      | N/A    | N/A    |
|      | 173      | S15503     | 5050028209997 | Fire Rated Tilt DL - Chrome                 | No            | 67     | 30     | 42     | 40   | N/A     | GU10      | N/A    | N/A    |
|      | 174      | S15504     | 5050028210009 | Fire Rated Tilt DL - White                  | No            | 67     | 30     | 42     | 40   | N/A     | GU10      | N/A    | N/A    |
|      | 175      | S15505     | 5050028210016 | IP65 & Fire Rated Fixed DL - Brushed        | No            | 62     | 29     | 42     | 40   | N/A     | GU10      | N/A    | N/A    |
|      | 176      | S15506     | 5050028210023 | IP65 & Fire Rated Fixed DL - Chrome         | No            | 62     | 29     | 42     | 40   | N/A     | GU10      | N/A    | N/A    |
|      | 177      | S15507     | 5050028210030 | IP65 & Fire Rated Fixed DL - White          | No            | 62     | 29     | 42     | 40   | N/A     | GU10      | N/A    | N/A    |
| 32   | 178      | S6316      | 5050028034285 | Fluorescent 4ft / 120cm IP65 T8 - Single    | No            | 1265   | 72     | 86     | 12   | N/A     | T8        | N/A    | N/A    |
|      | 179      | S6317      | 5050028034292 | Fluorescent 5ft / 150cm IP65 T8 - Single    | No            | 1565   | 72     | 86     | 12   | N/A     | T8        | N/A    | N/A    |
|      | 180      | S6318      | 5050028034308 | Fluorescent 4ft / 120cm IP65 T8 - Twin      | No            | 1265   | 115    | 86     | 8    | N/A     | T8        | N/A    | N/A    |
|      | 181      | S6319      | 5050028034315 | Fluorescent 5ft / 150cm IP65 T8 - Twin      | No            | 1565   | 115    | 86     | 8    | N/A     | T8        | N/A    | N/A    |
| 34   | 182      | S6310      | 5050028034223 | Fluorescent 2ft / 60cm T8 - Single          | No            | 626    | 62     | 38     | 20   | N/A     | T8        | N/A    | N/A    |
|      | 183      | S6311      | 5050028034230 | Fluorescent 4ft / 120cm T8 - Single         | No            | 1237   | 62     | 38     | 12   | N/A     | T8        | N/A    | N/A    |
|      | 184      | S6312      | 5050028034247 | Fluorescent 5ft / 150cm T8 - Single         | No            | 1537   | 62     | 38     | 12   | N/A     | T8        | N/A    | N/A    |
|      | 185      | S6313      | 5050028034254 | Fluorescent 6ft / 180cm T8 - Single         | No            | 1801   | 62     | 38     | 12   | N/A     | T8        | N/A    | N/A    |
|      | 186      | S6320      | 5050028034322 | Fluorescent 4ft / 120cm T8 - Twin           | No            | 1237   | 102    | 67     | 12   | N/A     | T8        | N/A    | N/A    |
|      | 187      | S6321      | 5050028034339 | Fluorescent 5ft / 150cm T8 - Twin           | No            | 1537   | 102    | 67     | 12   | N/A     | T8        | N/A    | N/A    |
|      | 188      | S10275     | 5050028098379 | Fluorescent 6ft / 180cm T8 - Twin           | No            | 1801   | 102    | 67     | 12   | N/A     | T8        | N/A    | N/A    |
| 35   | 189      | S6330      | 5050028034650 | Single Spot Chrome                          | No            | 110    | 100    | 130    | 10   | N/A     | GU10      | N/A    | N/A    |
|      | 190      | S6334      | 5050028034698 | Single Spot Brushed                         | No            | 110    | 100    | 130    | 10   | N/A     | GU10      | N/A    | N/A    |
|      | 191      | S6331      | 5050028034667 | Twin Bar Spot Chrome                        | No            | 275    | 100    | 130    | 10   | N/A     | GU10      | N/A    | N/A    |
|      | 192      | S6335      | 5050028034704 | Twin Bar Spot Brushed                       | No            | 275    | 100    | 130    | 10   | N/A     | GU10      | N/A    | N/A    |
|      | 193      | S6332      | 5050028034674 | Triple Bar Spot Chrome                      | No            | 445    | 100    | 130    | 10   | N/A     | GU10      | N/A    | N/A    |
|      | 194      | S6336      | 5050028034711 | Triple Bar Spot Brushed                     | No            | 445    | 100    | 130    | 10   | N/A     | GU10      | N/A    | N/A    |
| 36   | 195      | S6333      | 5050028034681 | Four Bar Folding Spot - Chrome              | No            | 650    | 100    | 130    | 10   | N/A     | GU10      | N/A    | N/A    |
|      | 196      | S6337      | 5050028034728 | Four Bar Folding Spot - Brushed             | No            | 650    | 100    | 130    | 10   | N/A     | GU10      | N/A    | N/A    |
|      | 197      | S6833      | 5050028040477 | Triple Plate Spot - Brushed                 | No            | 160    | 160    | 150    | 10   | N/A     | GU10      | N/A    | N/A    |
|      | 198      | S6654      | 5050028037965 | Triple Spiral Spot - Brushed                | No            | 250    | 250    | 130    | 10   | N/A     | GU10      | N/A    | N/A    |
| 35   | 199      | S6324      | 5050028034599 | Triple Fixed Downlight Kit - White          | No            | 86     | 76     | 76     | 30   | N/A     | GU10      | N/A    | N/A    |
|      | 200      | S6325      | 5050028034605 | Triple Fixed Downlight Kit - Chrome         | No            | 86     | 76     | 76     | 30   | N/A     | GU10      | N/A    | N/A    |
|      | 201      | S6326      | 5050028034612 | Triple Fixed Downlight Kit - Brushed        | No            | 86     | 76     | 76     | 30   | N/A     | GU10      | N/A    | N/A    |


# PRODUCT INFORMATION

| Page | Item No. | Short Code | Barcode       | Description                             | Lamp Supplied | W (mm) | D (mm) | H (mm) | Case | Wattage | Lamp Type | Lumens | Kelvin |
|------|----------|------------|---------------|-----------------------------------------|---------------|--------|--------|--------|------|---------|-----------|--------|--------|
| 37   | 202      | S6328      | 5050028034636 | Triple Tilt Downlight Kit - Chrome      | No            | 86     | 86     | 86     | 30   | N/A     | GU10      | N/A    | N/A    |
|      | 203      | S6329      | 5050028034643 | Triple Tilt Downlight Kit - Brushed     | No            | 86     | 86     | 86     | 30   | N/A     | GU10      | N/A    | N/A    |
|      | 204      | S6301      | 5050028034131 | Desk Lamp - Black                       | No            | 130    | 130    | 150    | 12   | N/A     | SES       | N/A    | N/A    |
|      | 205      | S6302      | 5050028034148 | Desk Lamp - White                       | No            | 130    | 130    | 150    | 12   | N/A     | SES       | N/A    | N/A    |
| 38   | 206      | S5885      | 5050028031383 | 500W Max Floodlight - Black             | Yes           | 185    | 155    | 170    | 6    | N/A     | R7S       | N/A    | N/A    |
|      | 207      | S5889      | 5050028031420 | 500W Max PIR Floodlight - Black         | Yes           | 185    | 155    | 230    | 6    | N/A     | R7S       | N/A    | N/A    |
|      | 208      | S5890      | 5050028031437 | 500W Max PIR Floodlight - White         | Yes           | 185    | 155    | 230    | 6    | N/A     | R7S       | N/A    | N/A    |
|      | 209      | S5891      | 5050028031444 | 150W Max PIR Floodlight - Black         | Yes           | 150    | 140    | 185    | 6    | N/A     | R7S       | N/A    | N/A    |
|      | 210      | S5892      | 5050028031451 | 150W Max PIR Floodlight - White         | Yes           | 150    | 140    | 185    | 6    | N/A     | R7S       | N/A    | N/A    |
|      | 211      | S5909      | 5050028031628 | 180° PIR Standalone Sensor - Black      | No            | 85     | 100    | 70     | 6    | N/A     | N/A       | N/A    | N/A    |
|      | 212      | S8161      | 5050028061496 | 180° PIR Standalone Sensor - Black      | No            | 90     | 125    | 150    | 6    | N/A     | N/A       | N/A    | N/A    |
| 39   | 213      | S5879      | 5050028031321 | Oval Bulkhead - Black                   | No            | 125    | 110    | 180    | 8    | N/A     | ES        | N/A    | N/A    |
|      | 214      | S5880      | 5050028031338 | Oval Bulkhead - White                   | No            | 125    | 125    | 183    | 8    | N/A     | ES        | N/A    | N/A    |
|      | 215      | S5881      | 5050028031345 | Round Bulkhead - Black                  | No            | 193    | 99     | 193    | 8    | N/A     | ES        | N/A    | N/A    |
|      | 216      | S6354      | 5050028034988 | Polycarbonate Bulkhead - Black          | No            | 245    | 125    | 124    | 10   | N/A     | ES        | N/A    | N/A    |
| 40   | 217      | S5895      | 5050028031482 | 6 Sided Lantern - Black                 | No            | 180    | 220    | 330    | 4    | N/A     | ES        | N/A    | N/A    |
|      | 218      | S5896      | 5050028031499 | 6 Sided Lantern - White                 | No            | 180    | 220    | 330    | 4    | N/A     | ES        | N/A    | N/A    |
|      | 219      | S6645      | 5050028037781 | 6 Sided 2-in -1 Plastic Lantern - Black | No            | 195    | 220    | 325    | 6    | N/A     | ES        | N/A    | N/A    |
|      | 220      | S5897      | 5050028031505 | 4 Sided Lantern - Black                 | No            | 150    | 190    | 360    | 4    | N/A     | ES        | N/A    | N/A    |
|      | 221      | S5898      | 5050028031512 | 4 Sided Lantern - White                 | No            | 150    | 190    | 360    | 4    | N/A     | ES        | N/A    | N/A    |
| 41   | 222      | S5901      | 5050028031543 | Leaded 4 Sided Lantern - Black / Silver | No            | 151    | 176    | 322    | 4    | N/A     | ES        | N/A    | N/A    |
|      | 223      | S5906      | 5050028031598 | 3 Sided Half Wall Lantern - Black       | No            | 327    | 187    | 102    | 2    | N/A     | ES        | N/A    | N/A    |
|      | 224      | S5907      | 5050028031604 | 3 Sided Half Wall Lantern - White       | No            | 327    | 187    | 102    | 2    | N/A     | ES        | N/A    | N/A    |
|      | 225      | S12511     | 5050028138594 | 8 Sided Pavilion Lantern - Charcoal     | No            | 157    | 212    | 222    | 8    | N/A     | ES        | N/A    | N/A    |
| 42   | 226      | S5908      | 5050028031611 | Tube Wall Lantern - Stainless Steel     | No            | 175    | 210    | 310    | 2    | N/A     | ES        | N/A    | N/A    |
|      | 227      | S6831      | 5050028040453 | Twin Wall Spotlight - Stainless Steel   | Yes           | 100    | 103    | 160    | 8    | N/A     | GU10      | N/A    | N/A    |

# Check out our new website!

Supreme LED is the dedicated lighting website from Supreme Imports  
- Europe's largest importer of LED lighting products.

Check out our website which is exclusive to Supreme trade and wholesale customers,  
where personalised pricing for each customer is available.




If you would like to enquire about a trade account with us, please visit or contact us on:

- **Call:** 0161 872 5151 • **Email:** [orders@supreme.co.uk](mailto:orders@supreme.co.uk) • **Fax:** 0161 872 5454
- **Order Online:** [www.supremeled.co.uk](http://www.supremeled.co.uk) or [www.supreme.co.uk](http://www.supreme.co.uk)


## ICONS



## COMPREHENSIVE INSTRUCTIONS



# IP CLASSIFICATIONS



- ZONE 0** - Requires electrical products to low voltage (max. 12 volts) and be IPX7 (the mechanical protection is unimportant).
- ZONE 1** - Requires electrical products to be IPX4 or better, or SELV with the transformer located beyond zone 2.
- ZONE 2** - Requires electrical products to be IPX4 or better, or SELV with the transformer located beyond zone 2.
- BEYOND ZONE 2** - When the size of bathroom extends beyond zone 2, portable equipment is allowed, however they should be positioned such that their flex length does not enable them to be used in zone 2.


- FIRST DIGIT (INTRUSION PROTECTION)**
- 0** No special protection.
  - 1** Protection from a large part of the body such as a hand (but no protection from deliberate access); From solid objects greater than 50mm in diameter.
  - 2** Protection against fingers or other object not greater than 80mm in length and 12mm in diameter.
  - 3** Protection from entry by tools, wires etc, with a diameter of 2.5mm or more.
  - 4** Protection against solid bodies larger than 1mm (eg fine tools/small etc).
  - 5** Protected against dust that may harm equipment.
  - 6** Totally dust tight.

- SECOND DIGIT (MOISTURE PROTECTION)**
- 0** No protection.
  - 1** Protection against condensation.
  - 2** Protection against water droplets deflected up to 15° from vertical.
  - 3** Protected against spray up to 60° from vertical.
  - 4** Protected against water spray from all directions.
  - 5** Protection against low pressure water jets (all directions).
  - 6** Protection against string water jets and waves.
  - 7** Protected against temporary immersion.
  - 8** Protected against prolonged effects of immersion under pressure.

# IK CLASSIFICATIONS

| IK    | TEST              | ITEM WEIGHT    |
|-------|-------------------|----------------|
| 00    | No Protection     | No Protection  |
| 01-05 | Impact: < 1 Joule | No Protection  |
| 06    | Impact: 1 Joule   | 500g - 20cm    |
| 07    | Impact: 2 Joule   | 500g - 40cm    |
| 08    | Impact: 5 Joule   | 1.7kg - 29.5cm |
| 09    | Impact: 10 Joule  | 5kg - 20cm     |
| 10    | Impact: 20 Joule  | 5kg - 40cm     |

# FIRE RATED REQUIREMENTS



# KELVIN CLASSIFICATIONS



**FOR PRICES CONTACT US:**

**4 Beacon Road, Ashburton Road West, Trafford Park, Manchester M17 1AF**

**Call:** 0161 872 5151 **Fax:** 0161 872 5454 **Email:** [orders@supreme.co.uk](mailto:orders@supreme.co.uk)


**Order Online** at [www.supremeled.co.uk](http://www.supremeled.co.uk) or [www.supremeoffers.co.uk](http://www.supremeoffers.co.uk)



S19186  
Powermaster/Lumilife lighting brochure 2023



5 050028 278252



Scan to view our range